

MISSOURI



1963

PUBLIC HEALTH STATISTICS
VITAL STATISTICS
THE DIVISION OF HEALTH OF MISSOURI

C O V E R

Photo by Massie - MISSOURI DIVISION OF COMMERCE AND INDUSTRIAL DEVELOPMENT

Layout by DIVISION OF HEALTH

MISSOURI
PUBLIC HEALTH STATISTICS
VITAL STATISTICS

1963

Prepared By
Statistical Services

October, 1965

DEPARTMENT OF PUBLIC HEALTH AND WELFARE OF MISSOURI
DIVISION OF HEALTH
STATE OFFICE BUILDING
JEFFERSON CITY, MISSOURI 65102

P R E F A C E

This is the final tabulation of statistical data for the period 1963. This annual report of Vital Statistics was compiled for use in the study of birth, death, marriage and divorce statistics.

If more detailed information is desired, one may obtain such data by contacting the Missouri Division of Health, Statistical Services, State Office Building, Jefferson City, Missouri, 65102.

STATISTICAL SERVICES

1965

BACKGROUND

COMPILATION AND UTILIZATION

Vital Statistics in Missouri are compiled from five documents which are filed with the Division of Health by State Law. To obtain the fullest use of these records, many sources of data must be utilized, including population, social science, medical, statistical, and demographic literature. Vital data are of little value unless special care is taken to analyze the cause and effect of the trends in vital events. To do this, knowledge and understanding of considerable background material are necessary. In Missouri, the five basic records on file with the Division of Health are: (1) birth records, (2) death records, and (3) stillbirth records, each beginning with 1910; (4) marriage, and (5) divorce records, beginning with 1948. Much use is made of the data concerning vital events because they play such an important part in both our economy and social structure. The births that occur today will affect the sale of childrens' toys, the construction of schools, the number of homes to be built for future families and the aging population. People interested in these problems and others must turn to vital statistics for source and background data.

The economic and social factors which are affected by the occurrence of vital events, in turn, are significant in the present and future health of the people in Missouri.

RELIABILITY OF THE DATA

Statistics are neither more true nor more false than the interpretation given to them. Figures cannot be wrong until we interpret them as representing a specific thing. The value of the data lessens as the knowledge of the person using a specific kind of data decreases. Reports published by the Bureau of Vital Statistics are limited in their scope by the amount of time and money available for their publication. They are published in a form standardized for use by vital statisticians. This means that certain facts must be realized if knowledge is to be gained from the use of these reports. A novice can best ask for advice from a person trained in the use of statistics, their collection, tabulation, and interpretation. The main sources of error found in vital statistics are: underregistration¹, improper tabulation procedure, poor response or indifference on the part of those responsible for completing vital records, and probably the most dangerous source of error, improper interpretation.

Age and sex distribution together with social and economic conditions play a large part in the health of the people of any state. Missouri counties have a range in age from one county with one-half of its people under 21 years of age to another with one-half of the people over 40 years of age. A county that has a population composed primarily of younger persons might present a fictitious picture of good health if the number of deaths is used as a measure of health. The reverse could be true in a county composed predominantly of older persons.

POPULATION

Population data used for computing rates shown in this report were obtained from the following sources: Population Estimates, 1911-1950, taken from the United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1965; 1960 population taken from United States Census of Population, "General Characteristics," PC(1) 27B; 1951-1959 and 1961-1963 as computed by the Missouri Division of Health, Statistical Services. The components used to compute the 1961 through 1963 estimates² were the net change, natural increase and net migration. The net migration based upon the experience during the period, 1950-1960.

USE OF THE TERMS "RECORDED" AND "RESIDENT"

Historically, vital statistics have been presented in two forms, "Recorded" and "Resident". It is important to understand the significance of these terms when analyzing vital statistics. As an example, this report might show birth data as follows for two selected areas:

Recorded live births, City of Springfield - 3,394
Resident live births, City of Springfield - 1,942
Recorded live births, Gasconade County - 6
Resident live births, Gasconade County - 214

What accounts for the difference in the above birth numbers? The differences are between the recorded and resident births of an area are due mainly to facilities available in the area. In the first case, people are coming into a city to have their babies, because of the medical facilities available. In the second case, people are leaving an area to have their babies.

"Recorded" data are based on the number of vital events that occur in an area. These data are used to analyze events that might be affected by the place in which they occur.

"Resident" data are compiled for vital events that relate to persons residing in an area independent of where the events occurred. (A person is considered to be a resident of an area if he has resided there six months or more. In the case of live births, fetal deaths, and infant deaths, the residence of the mother is considered to be the residence of the child).

RACE AND COLOR

The category "white" includes, in addition to persons reported as "white", those reported as Mexican, Puerto Rican, Chinese, Japanese, Indian, except Negro. In other words, persons reported as "Negro" are recorded as "nonwhite"; all other classes are recorded as "white". Any person reported as a mixed race which includes "Negro" is recorded as "nonwhite".

CAUSE OF DEATH CLASSIFICATION

The causes of death presented here were classified in accordance with the World Health Organization Regulations, nee "Manual of the International Statistical Classification of Diseases and Causes of Death", based on the recommendations of the Seventh Revision Conference, 1955.

¹This report includes the marriages and divorces reported to this office. There are a few counties which did not report any of these events. In some cases this may be a true picture of the occurrences in those counties; in others, it represents underreporting. This report does not include information from those Missouri residents who marry and seek divorce outside the State. As yet, there is no interchange between states of these events. The data is recorded. As State laws change, this causes changes in the rate which may not represent a true picture. Thus, a tightening of divorce laws may drop the reported divorce rate but not the resident rate.

²Estimates recomputed and adjusted April, 1965.

PREFACE
BACKGROUND
TABLE OF CONTENTS

Table	<u>BIRTHS, DEATHS, INFANT DEATHS</u>	Page
1	Population, Recorded Births and Deaths with Rates per 1,000 Population and Excess of Births Over Deaths, Missouri: 1911-1944	1
2	Population, Recorded and Resident Births and Deaths with Rates per 1,000 Population and Excess of Resident Births over Deaths, Missouri: 1945-1963	1
3	Selected Resident Live Birth Statistics with Percentages, By Sex, Color, Attendant, Legitimacy, Deformity, Weight, Place of Delivery, and Month of Occurrence, Urban and Rural, Missouri: 1963 . . .	2
4	Resident and Recorded Births and Fetal Deaths by Counties and Cities Over 10,000 Population, With Rates, Missouri: 1963	3
5	Resident Live Births, Urban and Rural, By Age of Mother, Sex and Color of Child, Missouri: 1963 . .	5
6	Resident and Recorded Fetal Deaths by Color and Weight, Missouri: 1963	5
	<u>ACCIDENTS</u>	
7	Recorded Deaths by Type of Accident, Age and Sex, Missouri: 1963	6
	<u>DEATHS, INFANT DEATHS, MATERNAL DEATHS</u>	
8	Ten Leading Causes of Death and Rates, Resident Data, Missouri: 1963	7
9	Resident Maternal Deaths by Cause and Color With Rates, Missouri: 1963	7
10	Resident Deaths, Age Groups by Sex and Color and By Selected Causes of Death, Missouri: 1963	8
11	Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Counties and Cities Over 10,000 Population, With Rates, Missouri: 1963	9
12	Resident Infant Deaths by Age, Cause, and Color With Rates by Cause and Color, Missouri: 1963 . . .	11
13	Resident Live Births, Fetal Deaths, and Selected Causes of Death by Color and Attendant at Birth With Rates, State Total and Population Groups, Missouri: 1963	12
14	Estimated Population, Resident Live Births, Fetal Deaths, and Selected Causes of Death by Color And Attendant at Birth, County Areas Including Cities, Missouri: 1963	14
15	Resident Live Births, Fetal Deaths and Selected Causes of Death by Color and Attendant at Birth, Cities of 10,000 Population and Over, Missouri: 1963	33
	<u>MARRIAGES</u>	
16	Reported Marriages by Age of Groom, By Age of Bride, Missouri: 1963	40
17	Reported Marriages by Marital Status and Selected Age Groups, Grooms and Brides, Missouri: 1963 . .	41
18	Reported Marriages by Marital Status, Missouri: 1963	41
19	Reported Marriages by Color of Groom, Missouri: 1963	41
	<u>DIVORCES</u>	
20	Reported Divorces and Annulments by Number of Previous Marriages, Husband Versus Wife, Missouri: 1963	42
21	Reported Divorces and Annulments by Duration of Marriage, Missouri: 1963	42
22	Reported Divorces and Annulments by Number of Children Affected, Missouri: 1963	43
23	Reported Divorces and Annulments by Complainant Versus To Whom Decree Granted, Missouri: 1963 . . .	43
24	Reported Divorces and Annulments by Complainant Versus Disposition of Children, Missouri: 1963 . . .	43
25	Reported Divorces and Annulments by Alimony and Settlement, Missouri: 1963	43
26	Reported Divorces and Annulments by Legal Grounds for Decree, Missouri: 1963	43
27	Reported Divorces and Annulments by Color, Husband Versus Wife, Missouri: 1963	43
28	Reported Divorces and Annulments by Number of Cases Contested, Missouri: 1963	43

BIRTHS, DEATHS, FETAL DEATHS

TABLE 1. POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION AND EXCESS OF BIRTHS OVER DEATHS. MISSOURI: 1911-1944

Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths	Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths
		Number	Rate	Number	Rate				Number	Rate	Number	Rate	
1911	3,317	74,130	22.3	43,479	13.1	30,651	1928	3,601	63,401	17.6	45,219	12.6	18,182
1912	3,344	75,452	22.6	42,139	12.6	33,313	1929	3,622	60,980	16.8	44,262	12.2	16,718
1913	3,409	75,231	22.1	42,130	12.4	33,101	1930	3,646	62,011	17.0	42,924	11.8	19,087
1914	3,467	73,925	21.3	41,743	12.0	32,182	1931	3,711	60,201	16.2	43,999	11.9	16,202
1915	3,492	71,543	20.5	40,863	11.7	30,680	1932	3,746	59,755	16.0	43,695	11.7	16,060
1916	3,527	73,486	20.8	44,705	12.7	28,781	1933	3,773	57,717	15.3	43,368	11.5	14,349
1917	3,470	67,041	19.3	45,564	13.1	21,477	1934	3,784	60,317	15.9	46,685	12.3	13,632
1918	3,325	64,001	19.2	51,925	15.6	12,076	1935	3,798	57,299	15.1	43,201	11.4	14,098
1919	3,371	61,193	18.2	39,282	11.7	21,911	1936	3,801	55,916	14.7	48,767	12.8	7,149
1920	3,404	65,416	19.2	42,572	12.5	22,844	1937	3,794	57,270	15.1	45,160	11.9	12,110
1921	3,429	66,970	19.5	36,210	10.6	30,760	1938	3,781	59,365	15.7	42,578	11.3	16,787
1922	3,437	64,388	18.7	38,417	11.2	25,971	1939	3,783	59,688	15.8	42,693	11.3	16,995
1923	3,454	66,691	19.3	41,853	12.1	24,838	1940	3,786	62,545	16.5	43,950	11.6	18,595
1924	3,508	68,961	19.7	40,463	11.5	28,498	1941	3,811	66,268	17.4	43,295	11.4	22,973
1925	3,526	68,293	19.4	41,332	11.7	26,961	1942	3,829	72,575	19.0	42,117	11.0	30,458
1926	3,556	66,611	18.7	42,684	10.0	23,927	1943	3,705	74,820	20.2	44,437	12.0	30,383
1927	3,576	66,401	18.6	40,853	11.4	25,548	1944	3,560	69,982	19.7	42,347	11.9	27,635

Sources: 1911-1934 and 1937-1944 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the United States Bureau of the Census. Population estimates 1911 to 1944 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956.

TABLE 2. POPULATION, RECORDED AND RESIDENT BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION AND EXCESS OF RESIDENT BIRTHS OVER DEATHS, MISSOURI: 1945-1963

Year	Estimated Mid-Year Population (Thousands)	Recorded				Resident				Excess Births Over Deaths
		Births		Deaths		Births		Deaths		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1945	3,516	67,693	19.3	42,757	12.2	65,691	18.7	42,496	12.1	23,195
1946	3,746	82,901	22.1	42,640	11.4	80,698	21.5	42,377	11.3	38,321
1947	3,845	92,369	24.0	44,762	11.6	89,902	23.4	44,474	11.6	45,428
1948	3,844	87,005	22.6	42,921	11.2	85,096	22.1	42,753	11.1	42,342
1949	3,955	87,372	22.1	43,995	11.1	85,206	21.5	43,708	11.1	41,498
1950	3,961	87,948	22.2	43,962	11.1	85,704	21.6	43,714	11.0	41,990
1951	3,992	92,664	23.2	44,318	11.1	89,977	22.5	44,051	11.0	45,926
1952	4,026	92,931	23.1	45,245	11.2	90,118	22.4	45,051	11.2	45,067
1953	4,061	94,419	23.3	45,686	11.2	91,447	22.5	45,148	11.1	46,299
1954	4,095	97,278	23.8	44,404	10.8	93,453	22.8	43,835	10.7	49,618
1955	4,124	97,591	23.7	43,531	10.6	93,797	22.7	43,000	10.4	50,797
1956	4,163	100,112	24.0	45,003	10.8	96,099	23.1	44,458	10.7	51,641
1957	4,206	101,287	24.1	47,784	11.4	97,161	23.1	47,333	11.3	49,828
1958	4,240	100,729	23.8	47,338	11.2	96,721	22.8	46,729	11.0	49,992
1959	4,233	102,461	24.2	47,099	11.1	98,537	23.3	46,465	11.0	52,072
1960	4,320	101,778	23.6	48,955	11.3	97,723	22.6	48,287	11.2	49,436
1961	4,366	101,462	23.2	47,933	11.0	97,321	22.3	47,303	10.8	50,018
1962	4,400	97,658	22.2	49,685	11.3	93,879	21.3	49,016	11.1	44,863
1963	4,429	93,545	21.1	51,159	11.6	90,363	20.4	50,538	11.4	39,825

Sources: Vital Statistics Reports of the Missouri Division of Health. Population estimates 1945-1950 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956; 1951-1959 and 1961-1963 (adjusted 1964) as computed by the Missouri Division of Health; 1960, taken from the United States Census of Population, PC(1) 27B.

TABLE 3. SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT, LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE, URBAN AND RURAL, MISSOURI: 1963

Live Births	Number			Percentages			Live Births	Number			Percentages		
	State Total	Urban	Rural	State Total	Urban	Rural		State Total	Urban	Rural	State Total	Urban	Rural
SEX - COLOR							ATTENDANT - COLOR						
Grand Total	90,363	48,063	42,300	100.0	100.0	100.0	Grand Total	90,363	48,063	42,300	100.0	100.0	100.0
Total Male	46,205	24,551	21,654	51.1	51.1	51.2	M.D.	80,559	44,968	35,591	89.2	93.6	84.1
Total Female	44,158	23,512	20,646	48.9	48.9	48.8	D.O.	9,327	2,996	6,331	10.3	6.2	15.0
							Midwife	369	63	306	0.4	0.1	0.7
White Total	77,915	37,411	40,504	100.0	100.0	100.0	Others	105	35	70	0.1	0.1	0.2
Male	39,883	19,172	20,711	51.2	51.2	51.1	Unknown	3	1	2	-	-	-
Female	38,032	18,239	19,793	48.8	48.8	48.9	White Total	77,915	37,411	40,504	100.0	100.0	100.0
Nonwhite Total	12,448	10,652	1,796	100.0	100.0	100.0	M.D.	68,775	34,485	34,290	88.3	92.2	84.7
Male	6,322	5,379	943	50.8	50.5	52.5	D.O.	8,986	2,903	6,083	11.5	7.8	15.0
Female	6,126	5,273	853	49.2	49.5	47.5	Midwife	88	10	78	0.1	-	0.2
							Others	64	13	51	0.1	-	0.1
							Unknown	2	-	2	-	-	-
							Nonwhite Total	12,448	10,652	1,796	100.0	100.0	100.0
							M.D.	11,784	10,483	1,301	94.7	98.4	72.4
							D.O.	341	93	248	2.7	0.9	13.8
							Midwife	281	53	228	2.3	0.5	12.7
							Others	41	22	19	0.3	0.2	1.1
							Unknown	1	1	-	-	-	-
Live Births	Number		Percentages				Live Births	Number		Percentages			
	State Total	Urban	White	Nonwhite	White	Nonwhite		State Total	Urban	White	Nonwhite	White	Nonwhite
LEGITIMACY - COLOR							DEFORMITY - COLOR						
Live Birth Total	79,915	12,448	37,411	10,652	40,504	1,796	Live Birth Total	77,915	12,448	37,411	10,652	40,504	1,796
Legitimate	75,620	8,403	36,164	7,237	39,456	1,166	Deformed Total	969	119	470	93	499	26
Illegitimate	2,256	4,032	1,228	3,406	1,028	626	Not Deformed Total	61,089	9,130	28,979	7,575	32,110	1,555
Not Stated	39	13	19	9	20	4	Not Stated or Unknown	15,857	3,199	7,962	2,984	7,895	215
BIRTH WEIGHT - ATTENDANT							DELIVERIES BY PLACE						
Over 5½ lbs. Total	70,463	10,489	33,727	8,958	36,736	1,531	Place of Birth Total	77,915	12,448	37,411	10,652	40,504	1,796
M.D.	62,256	9,914	31,127	8,812	31,129	1,102	Hospital	74,921	11,466	37,131	10,524	37,790	942
D.O.	8,073	291	2,580	79	5,493	212	Clinic	2,313	457	128	8	2,185	449
Midwife	82	255	10	50	72	205	Residence	585	510	130	111	455	399
Others	52	29	10	17	42	12	Other	96	15	22	9	74	6
Under 5½ lb. Total	5,715	1,830	2,864	1,602	2,851	228							
M.D.	5,008	1,756	2,613	1,584	2,395	172							
D.O.	695	45	249	13	446	32							
Midwife	4	24	-	2	4	22							
Others	8	5	2	3	6	2							
Not Stated Total	1,737	129	820	92	917	37							
M.D.	1,511	114	745	87	766	27							
D.O.	218	5	74	1	144	4							
Midwife	2	2	-	1	2	1							
Others	6	8	1	3	5	5							
MONTH OF OCCURRENCE													
Total	77,915	12,448	37,411	10,652	40,504	1,796							
January	6,417	1,111	3,113	948	3,304	163							
February	5,897	980	2,799	862	3,098	118							
March	6,389	1,015	3,064	871	3,325	144							
April	5,821	936	2,881	803	2,940	133							
May	6,225	1,009	3,066	866	3,159	143							
June	6,347	982	3,070	817	3,277	165							
July	6,824	1,170	3,203	997	3,621	173							
August	7,075	1,107	3,306	939	3,769	168							
September	7,042	1,092	3,335	942	3,707	150							
October	7,004	1,106	3,438	954	3,566	152							
November	6,483	990	3,084	855	3,399	135							
December	6,391	950	3,052	798	3,339	152							

Percentages are computed on the basis of total white and nonwhite live births.

Urban areas include cities over 10,000 population according to 1960 Census. All other areas are included in "rural".

TABLE 4. RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION, WITH RATES, MISSOURI: 1963

Counties and Cities over 10,000	Population	RESIDENT		RECORDED		RESIDENT		RECORDED	
		Number		Number		Rates		Rates	
		Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths
State Total	4,429,067	90,363	1,253	93,545	1,273	20.4	13.9	21.1	13.6
Cities over 10,000		48,063	678	70,156	964	-	-	-	-
Rural		42,300	575	23,389	309	-	-	-	-
Counties incl. Cities over 10,000:									
Adair	19,835	432	2	768	3	21.8	4.6	38.7	3.9
Andrew	10,647	166	1	2	-	15.6	6.0	0.2	-
Atchison	8,431	146	2	214	4	17.3	13.7	25.4	18.7
Audrain	26,054	562	12	719	17	21.6	21.4	27.6	23.6
Barry	17,675	292	1	430	4	16.5	3.4	24.3	9.3
Barton	10,306	164	1	174	1	15.9	6.1	16.9	5.7
Bates	15,012	255	3	237	2	17.0	11.8	15.8	8.4
Benton	8,342	124	3	26	-	14.9	24.2	3.1	-
Bollinger	8,457	136	2	46	-	16.1	14.7	5.4	-
Boone	57,186	1,484	15	1,952	30	26.0	10.1	34.1	15.4
Buchanan	87,104	1,923	20	2,363	22	22.1	10.4	27.1	9.3
Butler	32,746	656	7	992	18	20.0	10.7	30.3	18.1
Caldwell	8,260	98	1	3	-	11.9	10.2	0.4	-
Callaway	23,446	427	9	232	3	18.2	21.1	9.9	12.9
Camden	9,285	132	1	42	-	14.2	7.6	4.5	-
Cape Girardeau	42,054	872	13	1,329	20	20.7	14.9	31.6	15.0
Carroll	12,960	203	2	182	2	15.7	9.9	14.0	11.0
Carter	3,671	57	-	4	-	15.5	-	1.1	-
Cass	34,285	641	8	701	9	18.7	12.5	20.4	12.8
Cedar	8,623	139	-	199	-	16.1	-	23.1	-
Chariton	11,773	165	2	5	1	14.0	12.1	0.4	200.0
Christian	12,011	222	5	2	1	18.5	22.5	0.2	500.0
Clark	8,463	172	2	4	1	20.3	11.6	0.5	250.0
Clay	111,586	2,075	17	1,539	16	18.6	8.2	13.8	10.4
Clinton	11,266	160	2	251	2	14.2	12.5	22.3	8.0
Cole	41,703	824	15	1,455	24	19.8	18.2	34.9	16.5
Cooper	14,731	271	7	247	6	18.4	25.8	16.8	24.3
Crawford	12,644	270	4	376	6	21.4	14.8	29.7	16.0
Dade	6,920	93	2	36	-	13.4	21.5	5.2	-
Dallas	8,709	122	1	2	-	14.0	8.2	0.2	-
Daviess	8,726	116	2	14	-	13.3	17.2	1.6	-
DeKalb	6,790	78	2	2	-	11.5	25.6	0.3	-
Dent	9,965	155	2	138	2	15.6	12.9	13.8	14.5
Douglas	8,691	146	3	7	-	16.8	20.5	0.8	-
Dunklin	36,389	823	14	977	12	22.6	17.0	26.8	12.3
Franklin	46,981	1,064	15	987	10	22.6	14.1	21.0	10.1
Gasconade	11,834	183	3	2	-	15.5	16.4	0.2	-
Gentry	8,010	115	1	132	1	14.4	8.7	16.5	7.6
Greene	131,127	2,533	22	3,400	38	19.3	8.7	25.9	11.2
Grundy	11,521	179	5	177	4	15.5	27.9	15.4	22.6
Harrison	10,581	144	3	166	6	13.6	20.8	15.7	36.1
Henry	18,490	345	3	439	8	18.7	8.7	23.7	18.2
Hickory	4,135	49	1	15	-	11.9	20.4	3.6	-
Holt	7,099	93	1	2	-	13.1	10.8	0.3	-
Howard	10,381	183	5	112	4	17.6	27.3	10.8	35.7
Howell	21,225	401	2	521	3	18.9	5.0	24.5	5.8
Iron	7,396	142	1	216	4	19.2	7.0	29.2	18.5
Jackson	636,548	14,361	118	16,687	112	22.6	8.2	26.2	6.7
Jasper	76,565	1,442	20	1,714	26	18.8	13.0	22.4	15.2
Jefferson	80,974	1,850	28	760	12	22.8	15.0	9.4	13.8
Johnson	32,209	467	8	719	9	14.5	17.1	22.3	12.5
Knox	6,112	98	-	29	-	16.0	-	4.7	-
Laclede	18,457	425	3	465	4	23.0	7.1	25.2	8.6
Lafayette	24,592	423	6	321	3	17.2	14.2	13.1	9.3
Lawrence	22,643	418	3	325	2	18.5	7.2	14.4	6.2
Lewis	10,888	202	2	-	-	18.6	9.9	-	-
Lincoln	14,942	310	5	495	6	20.7	16.1	33.1	12.1
Linn	15,674	223	5	276	6	14.2	22.4	17.6	21.7
Livingston	15,129	291	2	390	2	19.2	6.9	25.8	5.1
McDonald	10,876	201	2	-	1	18.5	10.0	-	-
Macon	15,541	242	4	200	5	15.6	16.5	12.9	25.0
Madison	8,735	136	2	233	7	15.6	14.7	26.7	30.0
Maries	7,009	136	3	1	-	19.4	22.1	0.1	-
Marion	28,628	546	3	901	10	19.1	5.5	31.5	11.1
Mercer	5,191	70	1	95	1	13.5	14.3	18.3	10.5
Miller	13,497	274	2	179	1	20.3	7.3	13.3	5.6
Mississippi	19,589	503	11	331	9	25.7	21.9	16.9	27.2
Moniteau	10,123	203	2	88	1	20.1	9.9	8.7	11.4
Monroe	10,327	170	4	8	-	16.5	23.5	0.8	-
Montgomery	11,039	207	2	-	-	18.8	9.7	-	-

Live birth rates are per 1,000 population; fetal death rates are per 1,000 live births; population used is the July, 1963 estimate, adjusted March, 1964.

TABLE 4 (CONTINUED). RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION, WITH RATES, MISSOURI: 1963

Counties Inc. Cities over 10,000	Population	RESIDENT		RECORDED		RESIDENT		RECORDED	
		Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths
Morgan	9,009	146	1	123	2	16.2	6.8	13.7	16.3
New Madrid	28,640	668	13	310	3	23.3	19.5	10.8	9.7
Newton	29,991	511	9	449	6	17.0	17.6	15.0	13.4
Nodaway	21,037	401	5	396	4	19.1	12.5	18.8	10.1
Oregon	8,990	150	-	113	1	16.7	-	12.6	8.8
Osage	10,493	232	3	-	-	22.1	12.9	-	-
Ozark	5,998	91	2	77	1	15.2	22.0	12.8	13.0
Pemiscot	35,416	887	18	873	20	25.0	20.3	24.6	22.9
Perry	14,103	308	6	538	5	21.8	19.5	38.1	9.3
Pettis	35,652	662	9	773	9	18.6	13.6	21.7	11.6
Phelps	26,191	546	7	645	12	20.8	12.8	24.6	18.6
Pike	16,285	331	8	305	5	20.3	24.2	18.7	16.4
Platte	27,098	523	5	5	-	19.3	9.6	0.2	-
Polk	12,750	197	4	86	1	15.5	20.3	6.7	11.6
Pulaski	46,531	441	10	1,193	10	9.5	22.7	25.6	8.4
Putnam	6,275	114	2	130	-	18.2	17.5	20.7	-
Ralls	7,696	145	-	3	-	18.8	-	0.4	-
Randolph	21,210	384	3	513	-	18.1	7.8	24.2	-
Ray	15,865	276	2	259	4	17.4	7.2	16.3	15.4
Reynolds	4,612	92	3	4	-	19.9	32.6	0.9	-
Ripley	8,275	140	2	156	1	16.9	14.3	18.9	6.4
St. Charles	66,014	1,859	19	1,549	24	28.2	10.2	23.5	15.5
St. Clair	7,677	108	2	79	1	14.1	13.5	10.3	12.7
St. Francois	35,620	631	16	828	18	17.7	25.4	23.2	21.7
Ste. Genevieve	12,031	262	3	3	1	21.8	11.5	0.2	333.3
St. Louis County	843,373	15,879	208	7,548	100	18.8	13.1	8.9	13.2
Saline	24,108	416	5	405	4	17.3	12.0	16.8	9.9
Schuyler	4,716	74	1	1	-	15.7	13.5	0.2	-
Scotland	6,083	82	-	2	-	13.5	-	0.3	-
Scott	31,948	806	8	872	15	25.2	9.9	27.3	17.2
Shannon	6,637	173	2	30	-	26.1	11.6	4.5	-
Shelby	8,613	133	2	8	-	15.4	15.0	0.9	-
Stoddard	27,705	524	11	467	2	18.9	21.0	16.9	4.3
Stone	7,661	172	-	-	-	22.5	-	-	-
Sullivan	7,919	119	2	99	3	15.0	16.8	12.5	30.3
Taney	10,081	185	4	270	4	18.4	21.6	26.8	14.8
Texas	16,942	349	5	496	7	20.6	14.3	29.3	14.1
Vernon	19,454	293	2	256	3	15.1	6.8	13.2	11.7
Warren	8,985	160	5	1	-	17.8	31.3	0.1	-
Washington	13,829	318	4	78	2	23.0	12.6	5.6	25.6
Wayne	7,923	150	2	6	-	18.9	13.3	0.8	-
Webster	13,075	265	1	202	2	20.3	3.8	15.4	9.9
Worth	3,540	50	-	6	-	14.1	-	1.7	-
Wright	13,300	210	2	156	1	15.8	9.5	11.7	6.4
Cities over 10,000:									
Bellefontaine Neighbors		112	4	-	-				
Berkeley		494	9	-	-				
Brentwood		339	5	1	-				
Cape Girardeau City		556	7	1,328	19				
Carthage		220	6	424	8				
Clayton		175	-	767	16				
Columbia		951	8	1,948	30				
Crestwood		191	4	-	-				
Ferguson		472	4	-	-				
Florissant		1,542	19	1	-				
Fulton		131	3	231	3				
Gladstone		197	2	2	-				
Hannibal		379	3	900	10				
Independence		2,057	21	1,568	24				
Jefferson City		489	10	1,454	24				
Jennings		304	4	1	-				
Joplin		714	7	1,186	15				
Kansas City		11,613	84	5,119	88				
Kirksville		326	2	764	3				
Kirkwood		529	5	1,389	17				
Maplewood		257	3	-	2				
Mexico		288	3	707	17				
Moberly		219	2	506	-				
Overland		728	6	1	-				
Poplar Bluff		363	5	962	17				

Live birth rates are per 1,000 population; fetal death rates are per 1,000 live births; population used is the July, 1963 estimate, adjusted March, 1964.

TABLE 4 (CONTINUED). RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION, WITH RATES, MISSOURI: 1963

Cities over 10,000:	Population	RESIDENT		RECORDED		RESIDENT		RECORDED	
		Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths
Raytown		466	3	-	-				
Richmond Heights		296	3	4,271	52				
Rolla		251	4	644	12				
St. Ann		472	6	1	-				
St. Charles		832	14	1,549	24				
St. Joseph		1,717	19	2,353	22				
St. Louis City	700,902	16,670	356	27,176	501	23.8	21.4	28.8	18.4
Sedalia		492	5	772	8				
Sikeston		294	7	730	13				
Springfield		1,895	14	3,398	38				
University City		639	13	2	1				
Webster Groves		393	8	1	-				
Incl. in Above Cities:									
Hannibal-Ralls		5	-	-	-				
Joplin-Newton		28	-	51	1				
Kansas City-Clay		1,046	4	3	-				
Sikeston-New Madrid		3	-	1	-				
Kansas City-Platte		146	1	1	-				

TABLE 5. RESIDENT LIVE BIRTHS, URBAN AND RURAL, BY AGE OF MOTHER, SEX AND COLOR OF CHILD, MISSOURI: 1963

	Urban					Rural				
	Grand Total	White		Non-White		Total	White		Non-White	
		Male	Female	Male	Female		Male	Female	Male	Female
All Ages	90,363	19,172	18,239	5,379	5,273	48,063	20,711	19,793	943	853
10-14 Years	180	16	8	54	43	121	23	15	9	12
15-19 Years	14,567	2,857	2,591	1,159	1,143	7,750	3,249	3,098	252	218
20-24 Years	32,191	7,094	6,967	1,709	1,707	17,477	7,254	6,937	269	254
25-29 Years	21,383	4,636	4,416	1,165	1,195	11,412	4,912	4,713	185	161
30-34 Years	12,823	2,682	2,489	719	698	6,588	3,114	2,880	135	106
35-39 Years	7,053	1,486	1,358	460	401	3,705	1,602	1,605	70	71
40-44 Years	2,022	376	392	109	82	959	516	500	17	30
45-49 Years	116	22	15	2	3	42	34	37	3	-
50 Years & Over	4	-	-	-	1	1	-	1	2	-
Unknown	24	3	3	2	-	8	7	7	1	1

TABLE 6. RESIDENT AND RECORDED FETAL DEATHS BY COLOR AND WEIGHT, MISSOURI: 1963

Weight	Resident			Recorded		
	Total	White	Nonwhite	Total	White	Nonwhite
2 Pounds 3 Ounces or Less	232	160	72	224	159	65
2 Pounds 4 Ounces - 3 Pounds 4 Ounces	104	69	35	107	73	34
3 Pounds 5 Ounces - 4 Pounds 6 Ounces	120	88	32	119	89	30
4 Pounds 7 Ounces - 5 Pounds 8 Ounces	153	119	34	156	123	33
5 Pounds 9 Ounces - 6 Pounds 9 Ounces	118	90	28	121	94	27
6 Pounds 10 Ounces - 7 Pounds 11 Ounces	127	104	23	126	102	24
7 Pounds 12 Ounces - 8 Pounds 13 Ounces	84	69	15	87	71	16
8 Pounds 14 Ounces - 9 Pounds 14 Ounces	43	33	10	45	34	11
9 Pounds 15 Ounces or More	30	23	7	30	23	7
Unknown or not Stated	242	191	51	258	195	63
Total	1,253	946	307	1,273	963	310

Live birth rates are per 1,000 population; fetal death rates are per 1,000 births; population used is the July, 1963 estimate, adjusted March, 1964.

ACCIDENTS

TABLE 7. RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX, MISSOURI: 1963

Type of Accident	All Ages		0-4		5-14		15-24		25-44		45-64		65-74		75 & Over		Age Unk.	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
1. GRAND TOTAL	1,865	966	113	75	131	69	317	89	391	115	450	172	206	132	256	313	1	1
2. WORK TOTAL	185	14	5	3	16	4	22	2	44	2	69	2	17	1	12	-	-	-
3. Agriculture	106	14	5	3	14	4	15	2	13	2	31	2	16	1	12	-	-	-
4. Mining, Quarrying, Oil and Gas Wells	5	-	-	-	-	-	-	-	4	-	1	-	-	-	-	-	-	-
5. Manufacturing	25	-	-	-	1	-	2	-	10	-	12	-	-	-	-	-	-	-
6. Construction	19	-	-	-	-	-	4	-	9	-	6	-	-	-	-	-	-	-
7. Transportation	4	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-
8. Public Utilities	9	-	-	-	-	-	-	-	2	-	7	-	-	-	-	-	-	-
9. Trade	6	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-
10. Service	7	-	-	-	-	-	-	-	3	-	3	-	1	-	-	-	-	-
11. Other Specified Industry	4	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-
12. Unspecified Industry	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13. HOME TOTAL	404	384	64	38	35	26	14	10	36	27	82	46	58	50	114	187	1	-
14. Poisonings (gas excepted)	13	9	4	1	1	1	-	2	3	3	3	2	2	-	-	-	-	-
15. Poisonings by Gases and Vapors	15	4	-	-	-	-	1	-	4	1	7	3	-	-	3	-	-	-
16. Fire, Explosion of Combustible Material	111	97	21	11	13	18	2	4	8	12	30	23	18	14	18	15	1	-
17. Hot Substance, Corrosive Liquid, Steam	7	3	3	1	-	-	-	-	-	-	1	-	-	1	3	1	-	-
18. Mechanical Suffocation	22	12	19	12	1	-	-	-	-	-	1	-	1	-	-	-	-	-
19. Firearms	34	13	-	-	9	4	6	2	7	5	9	1	3	1	-	-	-	-
20. Falls on Same Level	20	34	-	-	-	-	-	-	2	-	3	1	2	1	13	32	-	-
21. Falls to Different Level or Unspecified	142	194	10	6	1	1	3	-	7	2	20	16	26	30	75	139	-	-
22. Other Specified Home Accidents	40	16	7	5	10	2	2	2	5	4	8	-	6	3	2	-	-	-
23. Unspecified Home Accidents	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24. MOTOR-VEHICLE TOTAL	841	354	23	21	43	27	218	67	220	70	192	89	90	53	55	26	-	1
25. Injury to Pedestrian	95	47	9	5	22	8	11	-	10	2	13	13	19	14	11	5	-	-
26. Collision with Other Motor Vehicle	342	198	9	11	6	11	78	45	93	38	86	49	44	27	26	16	-	1
27. Collision with Railroad Train	40	6	1	1	1	1	6	-	13	-	11	4	5	-	3	-	-	-
28. Collision with Street Car	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29. Injury to Pedal Cyclist	8	2	-	-	4	2	3	-	1	-	-	-	-	-	-	-	-	-
30. Collision with Animal-drawn Vehicle or Animal	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
31. Collision with Fixed Object	20	4	-	-	-	-	7	1	7	3	5	-	1	-	-	-	-	-
32. Noncollision	314	86	3	2	10	3	105	19	91	26	71	21	19	11	15	4	-	-
33. Other and Unspecified Accident	21	11	1	2	-	2	8	2	4	1	6	2	2	1	-	1	-	-
34. PUBLIC NON-MOTOR-VEHICLE TOTAL (Priority Given to Items 35 to 39)	425	208	20	13	37	12	62	10	91	16	102	31	38	28	75	98	-	-
35. Railroad-Not with Motor Vehicle	18	5	1	1	1	-	4	-	5	-	4	1	1	2	2	1	-	-
36. Street Car-Not with Motor Vehicle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37. Other Vehicle-Not With Motor Vehicle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38. Water Transportation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39. Air Transportation	35	6	-	-	-	-	7	3	18	1	9	1	1	1	-	-	-	-
40. Fire, Explosion of Combustible Material	10	5	-	-	-	-	1	-	1	1	4	1	1	-	3	3	-	-
41. Hot Substance, Corrosive Liquid, Steam	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
42. Drowning	101	20	3	3	26	6	28	4	27	4	12	1	4	1	1	1	-	-
43. Firearms	25	-	1	-	4	-	10	-	4	-	5	-	1	-	-	-	-	-
44. Falls on Same Level	24	16	-	-	-	-	2	-	1	-	8	3	5	6	8	7	-	-
45. Falls to Different Level or Unspecified	102	88	1	-	4	1	1	1	7	-	27	11	12	9	50	66	-	-
46. Other Specified Public Accidents	109	68	14	9	2	5	9	2	28	10	32	13	13	9	11	20	-	-
47. Unspecified Public Accidents	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48. Type of Accident Unknown	10	6	1	-	-	-	1	-	-	-	5	4	3	-	-	2	-	-

DEATHS, INFANT DEATHS, MATERNAL DEATHS

TABLE 8. TEN LEADING CAUSES OF DEATH AND RATES, RESIDENT DATA, MISSOURI: 1963

Rank	Cause of Death	White	Non-white	Total	Rates
1.	Heart Disease (410-443)	18,128	1,557	19,685	444.5
2.	Malignant Neoplasms (140-205)	7,071	698	7,769	175.4
3.	Vascular Lesions* (330-334)	5,594	594	6,188	139.7
4.	Accidents (800-962)	2,440	297	2,737	61.8
5.	Pneumonia (490-493)	1,580	299	1,879	42.4
6.	Diseases of Digestive System (530-587)	1,640	193	1,833	41.4
7.	Malformations and Diseases of Early Infancy (750-776)	1,409	374	1,783	40.3
8.	Arteriosclerosis (450)	1,172	142	1,314	29.7
9.	Diabetes Mellitus (260)	708	89	797	18.0
10.	Suicides (970-979)	473	30	503	11.4
	Totals	40,215	4,273	44,488	

Total Resident Deaths - 50,538

Estimated Population, July 1, 1963 - 4,429,067

TABLE 9. RESIDENT MATERNAL DEATHS BY CAUSE AND COLOR WITH RATES. MISSOURI: 1963

Cause of Death	Number			Rates		
	Total	White	Nonwhite	Total	White	Nonwhite
All Puerperal Causes (640-689)	33	22	11	3.7	2.8	8.8
Abortion with Infection (651)	2	1	1	0.2	0.1	0.8
Abortion without Infection (650, 652)	2	2	-	0.2	0.3	-
Puerperal Hemorrhage (643, 648, 670, 671, 672, 687)	10	7	3	1.1	0.9	2.4
Puerperal Infection (640, 641, 645.1, 680, 681)	4	4	-	0.4	0.5	-
Toxemias of Pregnancy (642, 685, 686)	4	2	2	0.4	0.3	1.6
Other Accidents of Childbirth (673-678)	2	1	1	0.2	0.1	0.8
Other Puerperal Causes	9	5	4	1.0	0.6	3.2

Death rates are per 100,000 population. Maternal death rates are per 10,000 live births.

Numbers in parentheses refer to code numbers in the 7th Revision of the International Classification of Causes of Death, 1955.

*Vascular lesions affecting central nervous system.

TABLE 10. RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR AND BY SELECTED CAUSES OF DEATH, MISSOURI: 1963

	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45-49 Years	50-54 Years	55-59 Years	60-64 Years	65-69 Years	70-74 Years	75-79 Years	80-84 Years	85-89 Years	90-94 Years	95 and Over	Unk.
TOTAL DEATHS	50,538	2,192	356	253	174	337	348	324	417	690	956	1,444	2,318	3,186	4,164	5,381	6,863	7,237	6,690	4,633	2,007	546	22
Male	28,346	1,263	190	143	114	238	241	218	277	409	573	895	1,518	2,109	2,683	3,401	4,011	3,870	3,189	2,011	788	196	9
Female	22,189	927	166	110	60	99	107	106	140	281	383	549	800	1,077	1,481	1,980	2,852	3,367	3,501	2,622	1,219	350	12
Unknown	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
TOTAL WHITE	45,268	1,676	270	212	152	304	289	252	322	544	777	1,189	1,938	2,696	3,593	4,764	6,238	6,771	6,360	4,468	1,937	498	18
Male	25,448	980	152	122	100	218	199	172	220	324	471	760	1,310	1,841	2,377	3,030	3,663	3,621	3,020	1,936	749	175	8
Female	19,819	695	118	90	52	86	90	80	102	220	306	429	628	855	1,216	1,734	2,575	3,150	3,340	2,532	1,188	323	10
Unknown	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL NONWHITE	5,270	516	86	41	22	33	59	72	95	146	179	255	380	490	571	617	625	466	330	165	70	48	4
Male	2,898	283	38	21	14	20	42	46	57	85	102	135	208	268	306	371	348	249	169	75	39	21	1
Female	2,370	232	48	20	8	13	17	26	38	61	77	120	172	222	265	246	277	217	161	90	31	27	2
Unknown	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
CAUSES OF DEATH																							
Tuberculosis of respiratory system (001-008)	256	-	1	-	-	-	-	-	4	8	12	14	22	36	25	27	37	36	27	6	-	1	-
Tuberculosis, other forms (010-019)	14	-	-	-	-	-	-	1	1	-	-	-	1	-	2	2	-	6	1	-	-	-	-
Syphilis, under 1 year (020-029)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis, age 1 year and over (020-029)	86	-	-	-	-	-	-	-	-	1	-	-	10	11	12	13	17	12	9	1	-	-	-
Typhoid fever (040)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paratyphoid fever (041)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Undulant fever (044)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bacillary dysentery (045)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Amebic dysentery (046)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified dysentery (047-048)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Scarlet fever and streptococcal sore throat (050-051)	4	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria (055)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (056)	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections (057)	10	1	5	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Tularemia (059)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus (061)	8	2	-	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-
Acute poliomyelitis (080)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute infectious encephalitis (082)	11	2	3	2	1	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
Measles (085)	10	-	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Infectious hepatitis (092)	14	-	-	-	-	-	1	1	-	-	1	2	-	1	1	-	3	2	1	1	-	-	-
Rabies (094)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rocky mountain spotted fever (104)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus & other rickettsial diseases (100-103; 105-108)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria (110-117)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious & parasitic diseases (030-138, exc. above)	91	5	3	-	3	-	3	2	5	2	5	2	5	8	6	9	16	8	7	5	1	-	-
Malignant neoplasms (140-205)	7,769	7	38	37	19	25	32	32	63	119	208	365	590	775	960	1,129	1,205	983	693	371	92	22	4
Benign and unspecified neoplasms (210-239)	111	5	1	3	5	1	1	1	2	5	1	8	11	9	9	7	15	13	7	4	2	1	-
Diabetes mellitus (260)	797	-	1	1	1	1	3	2	8	14	11	22	37	66	98	133	145	114	80	49	9	2	-
Anemias (290-293)	85	1	4	2	1	1	-	-	1	-	2	2	3	4	7	8	17	15	11	3	3	-	-
Vascular lesions affecting central nervous system (330-334)	6,188	7	6	5	5	4	7	8	14	34	42	69	160	245	345	550	923	1,168	1,237	898	363	94	4
Nonmeningococcal meningitis (340)	46	19	8	3	-	1	-	2	-	1	1	-	-	2	4	-	2	2	1	-	-	-	-
Rheumatic fever (400-402)	9	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-
Chronic rheumatic heart disease (410-416)	404	-	-	-	1	2	2	4	6	16	29	36	45	39	64	42	50	26	22	11	6	3	-
Arteriosclerotic & degenerative heart disease (420-422)	6,927	4	1	-	2	1	9	11	28	89	206	370	671	1,006	1,459	2,035	2,562	2,939	2,679	1,853	786	211	5
Other diseases of heart (430-434)	858	8	2	-	1	4	3	5	6	17	25	20	40	65	88	71	110	123	122	94	43	10	1
Hypertension with heart disease (440-443)	1,496	-	-	-	-	-	1	2	5	6	14	26	40	92	116	141	233	262	245	214	79	19	1
Hypertension w/o mention of heart (444-447)	365	-	-	-	1	-	-	2	4	8	4	10	10	17	13	33	56	77	65	39	23	3	-
Other diseases of circulatory system (450-468)	1,995	1	2	-	1	-	5	6	4	8	22	29	44	68	121	166	295	320	358	307	186	52	-
Influenza (480-483)	261	4	1	1	1	2	2	1	-	-	1	3	5	6	11	16	34	43	51	47	28	4	-
Lobar pneumonia 4 weeks (490)	314	18	8	2	2	1	4	4	7	3	7	7	17	18	16	27	27	46	50	26	20	4	-
Bronchopneumonia 4 weeks (491)	965	73	18	7	2	6	-	2	5	8	9	11	28	35	48	98	132	139	150	103	63	27	1
Pneumonia, other forms 4 weeks (492-493)	600	94	25	6	2	4	2	3	7	5	13	22	19	20	25	47	50	66	78	65	43	4	-
Bronchitis (500-502)	125	9	4	2	-	1	1	-	-	2	3	1	6	5	14	26	25	13	4	6	2	1	-
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	50	40	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastro Enteritis and colitis, 2 years (571.1)	52	-	3	4	1	-	-	-	-	1	1	-	1	2	2	5	4	6	4	11	2	-	-
Cirrhosis of liver (581)	477	1	2	-	-	-	1	1	7	27	37	56	79	64	59	48	44	21	19	9	2	-	-
Other diseases of digestive system (530-587 excl. above)	1,254	34	1	5	4	3	4	5	8	21	27	35	74	90	113	144	173	182	160	110	45	16	-
Nephritis and nephrosis (590-594)	424	-	2	3	5	8	6	12	8	11	11	18	29	39	23	41	45	45	53	42	20	3	-
Complications of pregnancy & puerperium (640-652; 660-689)	33	-	-	-	-	5	7	4	5	8	4	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations (750-759)	395	263	45	16	6	8	6	7	4	6	5	8	5	3	4	6	-	1	2	-	-	-	-
Birth injuries, asphyxia (under 4 weeks) (760-762)	575	575	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia of newborn (under 4 weeks) (763)	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea of newborn (under 4 weeks) (764)	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infections of newborn (under 4 weeks) (765-768)	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of early infancy (under 4 weeks) (769-776)	708	708	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senility, ill defined and unknown causes (780-795)	880	48	5	4	2	4	6	3	4	16	20	29	44	56	70	84	109	118	100	83	45	28	2
All other diseases (residual)	2,259	65	47	25	20	16	16	21	25	33	64	74	101	169	247	273	324	266	249	140	63	20	1
Motor vehicle accidents (810-835)	1,136	7	33	44	26	146	135	81	79	67	59	69	74	90	61	66	63	36	26	10	3	1	1
All other accidents (800-802; 840-962)	1,601	73	66	72	56	72	42	45	51	66	46	72	79	96	79	88	108	115	162	115	77	20	1
Suicide and self-inflicted injury (970-979)	503	-	-	-	1	12	19	28	25	49	38	42	52	72	48	33	35	28	12	7	-	-	-
Homicide (980-985)	256	6	1	3	3	9	33	25	31	36	27	20	15	16</									

TABLE 11. RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND MATERNAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION, WITH RATES, MISSOURI: 1963

Counties and Cities	Population	Deaths	RESIDENT			RECORDED		RESIDENT			RECORDED		
			Infant Deaths	Maternal Deaths	Number Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths
State Total	4,429,067	50,538	2,192	33	51,159	2,222	32	11.4	24.3	3.7	11.6	23.8	3.4
Cities over 10,000		25,765	1,207	20	32,746	1,682	23						
Rural		24,773	985	13	18,413	540	9						
Counties incl. Cities over 10,000:													
Adair	19,835	270	13	-	427	15	-	13.6	30.1	-	21.5	19.5	-
Andrew	10,647	116	-	-	72	-	-	10.9	-	-	6.8	-	-
Atchison	8,431	114	3	-	123	4	-	13.5	20.5	-	14.6	18.7	-
Audrain	26,054	304	14	-	342	13	-	11.7	24.9	-	13.1	-	-
Barry	17,675	259	10	-	256	8	1	14.7	34.2	-	14.5	18.6	23.3
Barton	10,306	167	4	-	131	2	-	16.2	24.4	-	12.7	11.5	-
Bates	15,012	270	7	2	219	5	2	18.0	27.5	78.4	14.6	21.1	84.4
Benton	8,342	121	-	-	79	-	-	14.5	-	-	9.5	-	-
Bollinger	8,457	121	2	-	93	1	-	14.3	14.7	-	11.0	21.7	-
Boone	57,186	532	37	-	961	86	1	9.3	24.9	-	16.8	44.1	5.1
Buchanan	87,104	1,270	48	-	1,523	51	-	14.6	25.0	-	17.5	21.6	-
Butler	32,746	471	21	1	718	30	1	14.4	32.0	15.2	21.9	30.2	10.1
Caldwell	8,260	152	1	-	96	-	-	18.4	10.2	-	11.6	-	-
Callaway	23,446	260	5	1	398	2	1	11.1	11.7	23.4	17.0	8.6	43.1
Camden	9,285	124	4	-	83	2	-	13.4	30.3	-	8.9	47.6	-
Cape Girardeau	42,054	467	15	-	588	20	-	11.1	17.2	-	14.0	15.0	-
Carroll	12,960	188	1	1	148	1	-	14.5	4.9	49.3	11.4	5.5	-
Carter	3,671	60	2	-	25	-	-	16.3	35.1	-	6.8	-	-
Cass	34,285	268	13	-	217	12	-	7.8	20.3	-	6.3	17.1	-
Cedar	8,623	150	2	-	116	-	-	17.4	14.4	-	13.5	-	-
Chariton	11,773	207	1	-	104	1	-	17.6	6.1	-	8.8	200.0	-
Christian	12,011	156	4	-	87	1	-	13.0	18.0	-	7.2	500.0	-
Clark	8,463	122	2	-	75	1	-	14.4	11.6	-	8.9	250.0	-
Clay	111,586	647	36	1	657	26	1	5.8	17.3	4.8	5.9	16.9	6.5
Clinton	11,266	198	7	-	178	5	-	17.6	43.8	-	15.8	19.9	-
Cole	41,703	389	18	-	542	28	-	9.3	21.8	-	13.0	19.2	-
Cooper	14,731	216	14	-	181	10	-	14.7	51.7	-	12.3	40.5	-
Crawford	12,644	175	9	-	160	10	-	13.8	33.3	-	12.7	26.6	-
Dade	6,920	100	-	-	80	-	-	14.5	-	-	11.6	-	-
Dallas	8,709	129	4	-	70	-	-	14.8	32.8	-	8.0	-	-
Daviess	8,726	169	-	-	104	-	-	19.4	-	-	11.9	-	-
DeKalb	6,790	109	2	-	64	1	-	16.1	25.6	-	9.4	500.0	-
Dent	9,965	161	5	-	116	4	-	16.2	32.3	-	11.6	29.0	-
Douglas	8,691	119	3	-	73	1	-	13.7	20.5	-	8.4	142.9	-
Dunklin	36,389	426	30	1	381	33	1	11.7	36.5	12.2	10.5	33.8	10.2
Franklin	46,981	496	19	1	399	13	1	10.6	17.9	9.4	8.5	13.2	10.1
Gasconade	11,834	150	1	-	95	-	-	12.7	5.5	-	8.0	-	-
Gentry	8,010	143	2	-	118	2	-	17.9	17.4	-	14.7	15.2	-
Greene	131,127	1,324	66	-	1,814	94	-	10.1	26.1	-	13.8	27.6	-
Grundy	11,521	232	6	-	231	4	-	20.1	33.5	-	20.1	22.6	-
Harrison	10,581	191	5	-	168	5	-	18.1	34.7	-	15.9	30.1	-
Henry	18,490	346	13	-	342	12	-	18.7	37.7	-	18.5	27.3	-
Hickory	4,135	58	1	-	36	-	-	14.0	20.4	-	8.7	-	-
Holt	7,099	142	6	-	97	4	-	20.0	64.5	-	13.7	2000.0	-
Howard	10,381	167	5	-	150	3	-	16.1	27.3	-	14.4	26.8	-
Howell	21,225	279	6	-	298	8	-	13.1	15.0	-	14.0	15.4	-
Iron	7,396	147	2	-	157	4	-	19.9	14.1	-	21.2	18.5	-
Jackson	636,548	7,108	352	6	7,767	385	5	11.2	24.5	4.2	12.2	23.1	3.0
Jasper	76,565	1,065	36	-	1,086	35	-	13.9	25.0	-	14.2	20.4	-
Jefferson	80,974	569	26	-	464	12	-	7.0	14.1	-	5.7	15.8	-
Johnson	32,209	324	26	-	280	23	-	10.1	55.7	-	8.7	32.0	-
Knox	6,112	81	1	-	41	-	-	13.3	10.2	-	6.7	-	-
Laclede	18,457	221	8	-	218	6	-	12.0	18.8	-	11.8	12.9	-
Lafayette	24,592	282	3	-	219	2	-	11.5	7.1	-	8.9	6.2	-
Lawrence	22,643	335	7	1	356	5	-	14.8	16.7	23.9	15.7	15.4	-
Lewis	10,888	162	10	-	86	2	-	14.9	49.5	-	7.9	-	-
Lincoln	14,942	205	7	-	228	5	-	13.7	22.6	-	15.3	10.1	-
Linn	15,674	278	4	-	282	5	-	17.7	17.9	-	18.0	18.1	-
Livingston	15,129	237	6	-	297	6	-	15.7	20.6	-	19.6	15.4	-
McDonald	10,876	177	4	-	69	1	-	16.3	19.9	-	6.3	-	-
Macon	15,541	269	7	1	199	2	1	17.3	28.9	41.3	12.8	10.0	50.0
Madison	8,735	141	4	-	136	5	-	16.1	29.4	-	15.6	21.5	-
Marion	7,009	78	1	-	36	-	-	11.1	7.4	-	5.1	-	-
Marion	28,628	383	8	-	497	12	-	13.4	14.7	-	17.4	13.3	-
Mercer	5,191	90	1	-	88	2	-	17.3	14.3	-	17.0	21.1	-

Death rates are per 1,000 population; infant death rates are per 1,000 live births; maternal death rates are per 10,000 live births.

TABLE 11 (CONTINUED). RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND MATERNAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION, WITH RATES, MISSOURI: 1963

Counties and Cities	Population	Deaths	RESIDENT		Number	RECORDED			Deaths	RESIDENT			Deaths	RECORDED		
			Infant Deaths	Maternal Deaths		Deaths	Infant Deaths	Maternal Deaths		Deaths	Infant Deaths	Maternal Deaths		Deaths	Infant Deaths	Maternal Deaths
Miller	13,497	170	7	-	-	118	5	-	-	12.6	25.5	-	-	8.7	27.9	-
Mississippi	19,589	278	36	-	-	172	19	-	-	14.2	71.6	-	-	8.8	57.4	-
Moniteau	10,123	158	7	-	-	102	3	-	-	15.6	34.5	-	-	10.1	34.1	-
Monroe	10,327	164	3	-	-	102	-	-	-	15.9	17.6	-	-	9.9	-	-
Montgomery	11,039	202	6	-	-	91	3	-	-	18.3	29.0	-	-	8.2	-	-
Morgan	9,009	136	1	-	-	97	1	-	-	15.1	6.8	-	-	10.8	8.1	-
New Madrid	28,640	347	43	1	-	204	27	-	-	12.1	64.4	15.0	-	7.1	87.1	-
Newton	29,991	340	12	1	-	316	6	1	-	11.3	23.5	19.6	-	10.5	13.4	22.3
Nodaway	21,037	300	-	-	-	293	-	-	-	14.3	-	-	-	13.9	-	-
Oregon	8,990	124	4	-	-	69	-	-	-	13.8	26.7	-	-	7.7	-	-
Osage	10,493	114	4	-	-	44	-	-	-	10.9	17.2	-	-	4.2	-	-
Ozark	5,998	86	4	-	-	45	1	-	-	14.3	44.0	-	-	7.5	13.0	-
Pemiscot	35,416	405	48	-	-	371	45	-	-	11.4	54.1	-	-	10.5	51.5	-
Perry	14,103	176	5	-	-	187	11	-	-	12.5	16.2	-	-	13.3	20.4	-
Pettis	35,652	445	25	-	-	442	24	-	-	12.5	37.8	-	-	12.4	31.0	-
Phelps	26,191	246	9	-	-	353	10	-	-	9.4	16.5	-	-	13.5	15.5	-
Pike	16,285	248	10	-	-	220	6	-	-	15.2	30.2	-	-	13.5	19.7	-
Platte	27,098	186	6	1	-	85	1	-	-	6.9	11.5	19.1	-	3.1	200.0	-
Polk	12,750	212	3	-	-	162	1	-	-	16.6	15.2	-	-	12.7	11.6	-
Pulaski	46,531	181	32	-	-	183	32	-	-	3.9	72.6	-	-	3.9	26.8	-
Putnam	6,275	119	2	-	-	100	3	-	-	19.0	17.5	-	-	15.9	23.1	-
Ralls	7,696	106	4	-	-	31	1	-	-	13.8	27.6	-	-	4.0	333.3	-
Randolph	21,210	357	8	-	-	361	7	-	-	16.8	20.8	-	-	17.0	13.6	-
Ray	15,865	232	3	-	-	202	3	-	-	14.6	10.9	-	-	12.7	11.6	-
Reynolds	4,612	72	2	-	-	34	-	-	-	15.6	21.7	-	-	7.4	-	-
Ripley	8,275	111	2	-	-	87	4	-	-	13.4	14.3	-	-	10.5	25.6	-
St. Charles	66,014	440	38	-	-	431	34	-	-	6.7	20.4	-	-	6.5	21.9	-
St. Clair	7,677	123	3	-	-	120	1	-	-	16.0	27.8	-	-	15.6	12.7	-
St. Francois	35,620	434	17	-	-	534	16	-	-	12.2	26.9	-	-	15.0	19.3	-
Ste. Genevieve	12,031	124	10	-	-	60	2	-	-	10.3	38.2	-	-	5.0	666.6	-
St. Louis County	843,373	5,621	261	1	-	4,061	136	-	-	6.7	16.4	0.6	-	4.8	18.0	-
Saline	24,108	337	8	-	-	334	7	-	-	14.0	19.2	-	-	13.9	17.3	-
Schuyler	4,716	83	-	-	-	48	-	-	-	17.6	-	-	-	10.2	-	-
Scotland	6,083	106	-	-	-	60	-	-	-	17.4	-	-	-	9.9	-	-
Scott	31,948	329	19	-	-	358	45	1	-	10.3	23.6	-	-	11.2	51.6	11.5
Shannon	6,637	91	5	-	-	47	1	-	-	13.7	28.9	-	-	7.1	33.3	-
Shelby	8,613	157	4	-	-	91	1	-	-	18.2	30.1	-	-	10.6	125.0	-
Stoddard	27,705	299	19	-	-	192	5	-	-	10.8	36.3	-	-	6.9	10.7	-
Stone	7,661	93	5	-	-	50	1	-	-	12.1	29.1	-	-	6.5	-	-
Sullivan	7,919	144	6	-	-	116	2	-	-	18.2	50.4	-	-	14.6	20.2	-
Taney	10,081	129	2	-	-	127	4	-	-	12.8	10.8	-	-	12.6	14.8	-
Texas	16,942	240	8	-	-	220	10	-	-	14.2	22.9	-	-	13.0	20.2	-
Vernon	19,454	285	9	-	-	440	6	-	-	14.6	30.7	-	-	22.6	23.4	-
Warren	8,985	100	1	-	-	87	-	-	-	11.1	6.3	-	-	9.7	-	-
Washington	13,829	189	6	-	-	92	1	-	-	13.7	18.9	-	-	6.7	12.8	-
Wayne	7,923	139	3	-	-	62	-	-	-	17.5	20.0	-	-	7.8	-	-
Webster	13,075	195	7	1	-	92	3	-	-	14.9	26.4	37.7	-	7.0	14.9	-
Worth	3,540	50	3	-	-	29	1	-	-	14.1	60.0	-	-	8.2	166.7	-
Wright	13,300	203	4	-	-	145	3	1	-	15.3	19.0	-	-	10.9	19.2	64.1
Cities over 10,000																
Bellefontaine Neighbors	-	74	2	-	-	30	-	-	-	-	-	-	-	-	-	-
Berkeley	-	92	10	-	-	29	-	-	-	-	-	-	-	-	-	-
Brentwood	-	105	6	-	-	27	-	-	-	-	-	-	-	-	-	-
Cape Girardeau City	-	282	12	-	-	502	18	-	-	-	-	-	-	-	-	-
Carthage	-	177	6	-	-	204	10	-	-	-	-	-	-	-	-	-
Clayton	-	171	2	-	-	1,061	41	-	-	-	-	-	-	-	-	-
Columbia	-	300	24	-	-	835	85	1	-	-	-	-	-	-	-	-
Crestwood	-	46	2	-	-	11	-	-	-	-	-	-	-	-	-	-
Ferguson	-	139	5	-	-	59	-	-	-	-	-	-	-	-	-	-
Florissant	-	188	14	1	-	51	-	-	-	-	-	-	-	-	-	-
Fulton	-	114	1	-	-	338	2	1	-	-	-	-	-	-	-	-
Gladstone	-	24	2	-	-	13	-	-	-	-	-	-	-	-	-	-
Hannibal	-	286	5	-	-	438	11	-	-	-	-	-	-	-	-	-
Independence	-	698	44	-	-	516	30	-	-	-	-	-	-	-	-	-
Jefferson City	-	259	11	-	-	487	28	-	-	-	-	-	-	-	-	-
Jennings	-	179	5	-	-	57	-	-	-	-	-	-	-	-	-	-
Joplin	-	521	15	-	-	626	20	-	-	-	-	-	-	-	-	-
Kansas City	-	6,091	290	6	-	7,200	352	5	-	-	-	-	-	-	-	-
Kirksville	-	172	11	-	-	394	15	-	-	-	-	-	-	-	-	-
Kirkwood	-	277	9	-	-	329	14	-	-	-	-	-	-	-	-	-

Death rates are per 1,000 population; infant death rates are per 1,000 live births; maternal death rates are per 10,000 live births.

TABLE 11 (CONTINUED). RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND MATERNAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION, WITH RATES, MISSOURI, 1963

Counties and Cities	Population	RESIDENT			Number Deaths	RECORDED			Deaths	RESIDENT			Deaths	RECORDED		
		Deaths	Infant Deaths	Maternal Deaths		Deaths	Infant Deaths	Maternal Deaths		Deaths	Infant Deaths	Maternal Deaths		Deaths	Infant Deaths	Maternal Deaths
Maplewood	-	152	4	-	40	-	-	-	-	-	-	-	-	-	-	-
Mexico	-	154	8	-	276	13	-	-	-	-	-	-	-	-	-	-
Moberly	-	213	5	-	264	7	-	-	-	-	-	-	-	-	-	-
Overland	-	219	10	-	82	-	-	-	-	-	-	-	-	-	-	-
Poplar Bluff	-	259	11	1	629	29	1	-	-	-	-	-	-	-	-	-
Raytown	-	129	11	-	29	1	-	-	-	-	-	-	-	-	-	-
Richmond Heights	-	164	7	-	436	58	-	-	-	-	-	-	-	-	-	-
Rolla	-	81	7	-	261	9	-	-	-	-	-	-	-	-	-	-
St. Ann	-	82	8	-	9	-	-	-	-	-	-	-	-	-	-	-
St. Charles	-	226	19	-	347	32	-	-	-	-	-	-	-	-	-	-
St. Joseph	-	1,153	44	-	1,477	51	-	-	-	-	-	-	-	-	-	-
St. Louis City	700,902	10,425	488	12	13,151	700	14	14.9	29.3	7.2	18.8	25.8	5.2	-	-	-
Sedalia	-	333	20	-	399	24	-	-	-	-	-	-	-	-	-	-
Sikeston	-	133	9	-	276	38	1	-	-	-	-	-	-	-	-	-
Springfield	-	1,028	55	-	1,691	93	-	-	-	-	-	-	-	-	-	-
University City	-	552	11	-	90	1	-	-	-	-	-	-	-	-	-	-
Webster Groves	-	267	14	-	82	-	-	-	-	-	-	-	-	-	-	-
Incl. in above Cities	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hannibal-Ralls	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joplin-Newton	-	13	-	-	17	-	-	-	-	-	-	-	-	-	-	-
Kansas City-Clay	-	206	12	-	96	-	-	-	-	-	-	-	-	-	-	-
Sikeston-New Madrid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas City-Platte	-	29	3	-	13	-	-	-	-	-	-	-	-	-	-	-

TABLE 12. RESIDENT INFANT DEATHS BY AGE, CAUSE, AND COLOR WITH RATES BY CAUSE AND COLOR, MISSOURI: 1963

Cause	Color	Number	Rate	Under 1 Hour	Over 1 Hour Under 1 Day	Over 1 Day Under 7 Days	Over 7 Days Under 28 Days	Over 28 Days Under 3 Mos.	Over 3 Mos. Under 6 Mos.	Over 6 Mos. Under 1 Year	Age Un- known but Under 1 Year
All Causes	White	1,676	21.5	109	601	429	109	168	140	115	5
	Nonwhite	516	41.5	27	156	112	48	69	53	49	2
	Total	2,192	24.3	136	757	541	157	237	193	164	7
Infectious Diseases (020-138)	White	10	0.1	-	-	-	-	6	2	2	-
	Nonwhite	7	0.6	-	-	-	2	1	3	1	-
	Total	17	0.2	-	-	-	2	7	5	3	-
Respiratory Diseases (001-019, 470-527)	White	152	2.0	1	-	1	-	60	55	33	-
	Nonwhite	74	5.9	-	-	1	-	28	23	22	-
	Total	226	2.5	1	-	2	-	88	78	57	-
Gastro-Intestinal Diseases (543-545, 571-572)	White	24	0.3	-	-	-	-	7	9	8	-
	Nonwhite	19	1.5	-	-	-	1	7	9	2	-
	Total	43	0.5	-	-	-	1	14	18	10	-
Malformations (750-759)	White	237	3.0	12	48	50	40	43	29	14	1
	Nonwhite	26	2.1	1	3	7	5	6	1	3	-
	Total	263	2.9	13	51	57	45	49	30	17	1
Injury at Birth (760-761)	White	167	2.1	23	85	57	1	1	-	-	-
	Nonwhite	29	2.3	4	17	7	1	-	-	-	-
	Total	196	2.2	27	102	64	2	1	-	-	-
Other Diseases of Early Infancy (762-773)	White	647	8.3	44	306	238	44	9	4	1	1
	Nonwhite	193	15.5	11	76	56	28	7	7	3	-
	Total	840	9.3	55	382	294	72	16	11	9	1
Premature Birth (774-776)	White	241	3.1	24	148	58	8	2	-	-	1
	Nonwhite	111	8.9	10	58	39	4	-	-	-	-
	Total	352	3.9	34	206	97	12	2	-	-	1
All Other Causes	White	198	2.5	5	14	25	16	40	41	55	2
	Nonwhite	57	4.6	1	2	2	7	20	10	13	2
	Total	255	2.8	6	16	27	23	60	51	68	4

Death rates are per 1,000 population; infant death rates are per 1,000 live births; maternal death rates are per 10,000 live births.

Numbers in parentheses refer to code numbers in the Revision of the International Classification of Causes of Death, 1955.

TABLE 13. RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH WITH RATES, STATE TOTAL AND POPULATION GROUPS, MISSOURI: 1963

	State Total				Under 2,500		2,500 - 5,000		5,000 - Less than 10,000		10,000 - Less than 15,000	
	Total	Rate	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963	4,429,067											
TOTAL LIVE BIRTHS	90,363	20.4	77,915	12,448	29,137	1,056	4,548	229	6,819	511	3,189	151
Attended by M.D.	80,559	-	68,775	11,784	24,170	691	3,899	182	6,221	428	2,744	103
Attended by D.O.	9,327	-	8,986	341	4,852	181	639	19	592	48	440	10
Attended by midwives	369	-	88	281	67	171	8	26	3	31	4	36
Others or unspecified	108	-	66	42	48	13	2	2	3	4	1	2
TOTAL FETAL DEATHS	1,253	13.9	946	307	374	31	56	7	95	12	44	7
Attended by M.D.	1,110	-	845	265	309	23	51	5	83	9	44	5
Attended by D.O.	98	-	88	10	62	4	5	1	9	3	-	1
Attended by midwives	3	-	-	3	-	3	-	-	-	-	-	-
Others or unspecified	42	-	13	29	3	1	-	1	3	-	-	1
TOTAL DEATHS	50,538	11.4	45,268	5,270	17,625	471	2,842	167	3,425	243	1,423	104
Under one year of age	2,192	24.3	1,676	516	632	70	107	17	140	19	59	12
Neonatal deaths	1,591	13.8	1,248	343	440	33	82	8	114	9	43	8
Maternal deaths	33	3.7	22	11	7	2	1	-	3	-	-	-
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	256	5.8	206	50	63	3	10	3	22	2	3	-
Tuberculosis, other forms (010-019)	14	0.3	8	6	2	-	1	-	-	-	-	-
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	86	1.9	67	19	22	-	5	-	2	1	-	-
Typhoid fever (040)												
Paratyphoid fever (041)	1	0.0	1	-	1	-	-	-	-	-	-	-
Undulant fever (044)												
Bacillary dysentery (045)	1	0.0	-	1	-	1	-	-	-	-	-	-
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)	1	0.0	1	-	-	-	-	-	-	-	-	-
Scarlet fever and streptococcal sore throat (050-051)	4	0.1	2	2	1	-	1	1	-	-	-	-
Diphtheria (053)	1	0.0	1	-	1	-	-	-	-	-	-	-
Whooping cough (056)	6	0.1	1	5	-	2	-	-	-	2	1	-
Meningococcal infections (057)	10	0.2	10	-	5	-	-	-	1	-	1	-
Tularemia (059)												
Tetanus (061)	8	0.2	5	3	4	2	1	-	-	-	-	-
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)	11	0.2	10	1	5	-	-	-	1	-	-	-
Measles (085)	10	0.2	10	-	5	-	1	-	-	-	-	-
Infectious hepatitis (092)	14	0.3	13	1	7	-	1	-	-	1	-	-
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)	1	0.0	1	-	-	-	-	-	-	-	-	-
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	91	2.1	81	10	30	-	6	-	8	-	2	-
Malignant neoplasms (140-205)	7,769	175.4	7,071	698	2,676	54	453	23	524	21	215	17
Benign and unspecified neoplasms (210-239)	111	2.5	99	12	39	1	4	-	9	2	4	1
Diabetes mellitus (260)	797	18.0	708	89	263	8	52	1	49	-	14	2
Anemia (290-293)	85	1.9	69	16	28	1	3	-	3	1	1	-
Vascular lesions affecting central nervous system (330-334)	6,188	139.7	5,594	594	2,382	62	364	25	462	27	185	16
Nonmeningococcal meningitis (340)	46	1.0	38	8	10	-	2	1	6	-	2	-
Rheumatic fever (400-402)	9	0.2	9	-	5	-	-	-	-	-	1	-
Chronic rheumatic heart disease (410-416)	404	9.1	364	40	115	1	25	2	27	3	12	-
Arteriosclerotic and degenerative heart disease (420-422)	16,927	382.2	15,786	1,141	5,853	94	984	40	1,220	57	498	24
Other diseases of heart (430-431)	858	19.4	740	118	363	15	57	3	49	2	20	1
Hypertension with heart disease (440-443)	1,496	33.8	1,238	258	508	16	69	7	89	17	41	2
Hypertension w/o mention of heart (444-447)	365	8.2	293	72	122	4	18	3	20	2	11	-
Other diseases of circulatory system (450-458)	1,995	45.0	1,754	241	684	8	102	4	108	13	64	1
Influenza (480-483)	261	5.9	232	29	123	8	33	-	14	1	7	1
Lobar pneumonia 4 weeks (490)	314	7.1	260	54	117	3	12	1	23	5	6	-
Bronchopneumonia 4 weeks (401)	965	21.8	815	150	254	6	41	2	50	12	27	2
Pneumonia, other forms 4 weeks (412-493)	600	13.5	505	95	218	8	39	3	28	-	14	2
Bronchitis (500-502)	125	2.8	117	8	41	1	7	1	12	-	4	-
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	50	1.1	29	21	17	8	2	2	2	2	-	1
Gastro Enteritis and colitis, 2 years (571.1)	52	1.2	45	7	20	1	4	1	3	1	1	-
Cirrhosis of liver (581)	477	10.8	432	45	100	2	22	1	29	2	15	-
Other diseases of digestive system (530-587 excl. above)	1,254	28.3	1,134	120	445	5	58	4	85	3	37	2
Nephritis and nephrosis (590-594)	424	9.6	342	82	149	9	30	1	30	4	16	2
Complications of pregnancy and puerperium (640-652; 660-689)	33	0.7	22	11	7	2	1	-	3	-	-	-
Congenital malformations (750-759)	395	8.9	354	41	124	5	19	1	26	1	18	1
Birth injuries, asphyxia, (under 4 weeks) (760-762)	575	13.0	461	114	158	9	34	1	35	3	16	2
Pneumonia of newborn (under 4 weeks) (763)	80	1.8	56	24	18	4	4	2	4	1	2	1
Diarrhea of newborn (under 4 weeks) (764)	8	0.2	4	4	2	3	1	-	1	-	-	1
Other infections of newborn (under 4 weeks) (765-768)	17	0.4	14	3	7	-	1	-	-	1	-	-
Other diseases of early infancy (under 4 weeks) (769-776)	708	16.0	520	188	184	8	34	3	52	5	18	3
Senility, ill defined and unknown causes (780-795)	880	19.9	781	99	384	30	53	12	48	24	26	6
All other diseases (residual)	2,259	51.0	1,942	317	724	25	131	10	148	7	53	6
Motor vehicle accidents (810-835)	1,136	25.6	1,039	97	517	11	64	1	95	9	29	2
All other accidents (800-802; 840-862)	1,601	36.1	1,401	200	593	42	73	3	99	5	38	6
Suicide and self-inflicted injury (970-979)	503	11.4	473	30	199	4	17	2	28	1	19	-
Homicide (980-985)	256	5.8	110	146	26	5	3	3	10	5	2	2

Death rates are per 1,000 population.

Infant deaths, neonatal deaths and fetal death rates are per 1,000 live births.

Numbers in parentheses refer to the code numbers in the 7th Revision of International Statistical Classification of Causes of Death, 1955.

Maternal death rates are per 10,000 live births.

Rates for specific causes of death are per 100,000 population

TABLE 13 (CONTINUED). RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH WITH RATES, STATE TOTAL AND POPULATION GROUPS, MISSOURI: 1963

	15,000 - Less than 25,000		25,000 - Less than 50,000		50,000 - Less than 75,000		75,000 - Less than 100,000		100,000 - Less than 500,000		500,000 & Over	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963												
TOTAL LIVE BIRTHS	5,326	188	4,378	240	2,679	17	3,491	121	8,630	2,983	9,718	6,952
Attended by M.D.	4,942	171	4,088	220	2,334	16	3,383	120	7,510	2,924	9,484	6,929
Attended by D.O.	378	6	290	18	345	1	106	1	1,119	57	225	5
Attended by midwives	6	10	-	1	-	-	-	-	-	-	-	-
Others or unspecified	-	1	-	1	-	-	2	-	1	1	9	18
TOTAL FETAL DEATHS	58	5	54	3	34	-	31	2	39	45	161	195
Attended by M.D.	54	5	53	3	34	-	30	2	36	41	151	172
Attended by D.O.	3	-	1	-	-	-	1	-	2	-	5	1
Attended by midwives	-	-	-	-	-	-	-	-	-	-	-	-
Others or unspecified	1	-	-	-	-	-	-	-	1	4	5	22
TOTAL DEATHS	2,364	115	1,689	123	1,234	16	2,086	95	4,977	1,114	7,603	2,822
Under one year of age	109	8	79	8	55	-	92	7	174	116	229	259
Neonatal deaths	89	4	61	8	42	-	64	2	131	85	182	186
Maternal deaths	1	-	1	-	-	-	-	-	5	1	4	8
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	6	-	10	-	3	-	9	-	40	15	40	27
Tuberculosis, other forms (010-019)	-	-	1	-	-	-	2	-	-	3	2	3
Syphilis, under 1 year (020-029)	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis, age 1 year and over (020-029)	4	1	3	-	1	-	5	1	12	4	13	12
Typhoid fever (040)	-	-	-	-	-	-	-	-	-	-	-	-
Paratyphoid fever (041)	-	-	-	-	-	-	-	-	-	-	-	-
Undulant fever (044)	-	-	-	-	-	-	-	-	-	-	-	-
Bacillary dysentery (045)	-	-	-	-	-	-	-	-	-	-	-	-
Amebic dysentery (046)	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified dysentery (047-048)	-	-	-	-	-	-	-	-	1	-	-	-
Scarlet fever and streptococcal sore throat (050-051)	-	-	-	-	-	-	-	-	-	1	-	-
Diphtheria (055)	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (056)	-	-	-	-	-	-	-	-	-	1	-	-
Meningococcal infections (057)	2	-	-	-	-	-	-	-	-	-	1	-
Tularemia (059)	-	-	-	-	-	-	-	-	-	-	-	1
Tetanus (061)	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (080)	-	-	-	-	-	-	-	-	-	-	-	-
Acute infectious encephalitis (082)	2	-	-	-	-	-	-	-	1	-	1	1
Measles (085)	-	-	-	-	-	-	-	-	1	-	1	-
Infectious hepatitis (092)	-	-	1	-	-	-	-	-	2	-	2	-
Rabies (094)	-	-	-	-	-	-	-	-	-	-	-	-
Rocky mountain spotted fever (104)	-	-	-	-	-	-	-	-	-	-	-	-
Typhus and other rickettsial diseases (100-103; 105-108)	-	-	-	-	-	-	-	-	1	-	-	-
Malaria (110-117)	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases (030-138, exc. above)	1	-	3	-	2	-	4	-	8	3	17	7
Malignant neoplasms (140-205)	388	15	253	20	209	2	307	13	777	153	1,269	380
Benign and unspecified neoplasms (210-239)	5	-	4	1	-	-	7	-	15	1	12	6
Diabetes mellitus (260)	39	4	19	2	24	-	20	3	69	18	159	51
Anemias (290-293)	2	2	4	-	3	-	6	-	9	4	10	8
Vascular lesions affecting central nervous system (330-334)	268	11	199	16	132	4	291	15	534	110	777	308
Nonmeningococcal meningitis (340)	3	-	-	-	1	-	1	-	6	3	7	4
Rheumatic fever (400-402)	1	-	-	-	-	-	1	-	1	-	-	-
Chronic rheumatic heart disease (410-416)	23	1	14	2	11	-	12	-	47	11	78	20
Arteriosclerotic and degenerative heart disease (420-422)	870	36	575	25	442	5	704	21	1,751	212	2,889	627
Other diseases of heart (430-434)	31	-	19	3	20	-	26	1	31	26	72	67
Hypertension with heart disease (440-443)	53	6	46	7	35	-	73	4	111	55	213	144
Hypertension w/o mention of heart (444-447)	19	-	11	-	6	-	11	2	27	4	48	57
Other diseases of circulatory system (450-468)	96	5	70	1	40	1	75	3	183	102	332	103
Influenza (480-483)	10	1	5	2	5	-	5	-	12	3	18	13
Lobar pneumonia 4 weeks (490)	12	-	8	-	6	-	6	-	27	8	43	37
Bronchopneumonia 4 weeks (491)	40	-	34	3	17	-	42	10	152	38	158	77
Pneumonia, other forms 4 weeks (492-493)	28	2	15	1	10	1	20	1	38	10	75	67
Bronchitis (500-502)	5	1	2	-	4	-	6	-	14	1	22	4
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	2	-	-	-	-	-	2	-	1	2	3	6
Gastro Enteritis and colitis, 2 years (571.1)	-	-	6	-	-	-	2	-	2	2	7	2
Cirrhosis of liver (581)	22	1	18	2	8	-	13	-	81	11	124	26
Other diseases of digestive system (530-587 excl. above)	47	2	45	6	32	-	47	2	154	25	184	71
Nephritis and nephrosis (590-594)	8	2	7	4	7	1	17	-	29	15	49	44
Complications of pregnancy and puerperium (640-652; 660-689)	1	-	1	-	-	-	-	-	5	1	4	8
Congenital malformations (750-759)	22	1	22	2	14	-	18	-	47	9	44	21
Birth injuries, asphyxia, (under 4 weeks) (760-762)	34	-	25	4	11	-	30	2	46	25	72	68
Pneumonia of newborn (under 4 weeks) (763)	2	1	2	1	3	-	4	1	11	3	6	10
Diarrhea of newborn (under 4 weeks) (764)	-	-	-	-	-	-	-	-	-	-	-	-
Other infections of newborn (under 4 weeks) (765-768)	1	-	1	-	-	-	1	-	-	-	3	2
Other diseases of early infancy (under 4 weeks) (769-776)	38	4	23	2	17	-	22	-	54	56	78	107
Senility, ill defined and unknown causes (780-795)	32	2	40	1	16	1	97	8	52	8	33	7
All other diseases (residual)	98	9	80	7	62	1	69	-	232	77	345	175
Motor vehicle accidents (810-835)	54	1	50	-	30	-	46	3	78	16	76	54
All other accidents (800-802; 840-962)	67	7	45	6	44	-	64	4	152	34	224	93
Suicide and self-inflicted injury (970-979)	27	-	24	2	13	-	14	-	64	7	68	14
Homicide (980-985)	1	-	2	3	6	-	7	1	29	37	24	90

TABLE 14. ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1963

	ADAIR		ANDREW		ATCHISON		AUDRAIN		BARRY		BARTON	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963	19,835		10,647		8,431		26,054		17,675		10,306	
TOTAL LIVE BIRTHS	431	1	166		146		516	46	292		164	
Attended by M.D.	116		141		145		427	40	235		155	
Attended by D.O.	315	1	25		1		88	5	57		9	
Attended by midwives												
Others or unspecified												
TOTAL FETAL DEATHS	2		1		2		10	2	1		1	
Attended by M.D.	2		1		2		10	1	1		1	
Attended by D.O.												
Attended by Midwives								1				
Others or unspecified												
TOTAL DEATHS	270		116		114		277	27	259		167	
Under one year of age	13				3		11	3	10		4	
Neonatal deaths	13				1		9	2	8		3	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)			1				1					
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)									1			
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103, 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)												
Malignant neoplasms (140-205)	38		23		21		34	2	33		25	
Benign and unspecified neoplasms (210-239)	2		2				2	1				
Diabetes mellitus (260)	5		1				4		4		1	
Anemias (290-293)												
Vascular lesions affecting central nervous system (330-334)	43		13		11		37	6	39		24	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)					1		5		2		1	
Arteriosclerotic and degenerative heart disease (420-422)	87		49		45		93	3	75		52	
Other diseases of heart (430-434)	7		4		3		2		13		2	
Hypertension with heart disease (440-443)	5		1		4		11		8		4	
Hypertension w/o mention of heart (444-447)	4		1		2		1		3			
Other diseases of circulatory system (450-468)	11		6		3		14		9		9	
Influenza (480-483)	4		1						3		2	
Lobar pneumonia 4 weeks (490)							2		2		1	
Bronchopneumonia 4 weeks (491)	2		2		2		2	1	4		1	
Pneumonia, other forms 4 weeks (492-493)	2				3		4		1		5	
Bronchitis (500-502)							2					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)	4				1		2		3			
Other diseases of digestive system (530-587 excl. above)	7		1		4		9	3	16		7	
Nephritis and nephrosis (590-594)	5				1		3	1	4		4	
Complications of pregnancy and puerperium (640-652, 660-689)												
Congenital malformations (750-759)	1				1		1	1	3		2	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	6						4	1	5		1	
Pneumonia of newborn (under 4 weeks) (763)	1											
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	4				1		6	1	1		2	
Senility, ill defined and unknown causes (780-795)	1		4				3		6		2	
All other diseases (residual)	14				6		13	3	10		9	
Motor vehicle accidents (810-835)	6		5		2		12	2	6		4	
All other accidents (800-802; 840-962)	9		1		3		7	1	4		6	
Suicide and self-inflicted injury (970-979)	2		1				3		3		3	
Homicide (980-985)								1	1			

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1963

	BATES		BENTON		BOLLINGER		BOONE		BUCHANAN		BUTLER	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963	15,012		8,342		8,457		57,186		87,104		32,746	
TOTAL LIVE BIRTHS	248	7	123	1	136		1,344	140	1,857	66	599	57
Attended by M.D.	212	7	71		79		1,313	135	1,775	65	535	36
Attended by D.O.	36		52	1	57		30	2	81	1	53	4
Attended by midwives								1			10	16
Others or unspecified							1	2	1		1	1
TOTAL FETAL DEATHS	3		3		2		15		18	2	4	3
Attended by M.D.	2		1		2		15		16	2	4	2
Attended by D.O.	1		2						2			
Attended by midwives												1
Others or unspecified												
TOTAL DEATHS	268	2	121		121		466	66	1,212	58	433	38
Under one year of age	7				2		32	5	45	3	17	4
Neonatal deaths	5				2		28	5	31	1	13	2
Maternal deaths	2										1	
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1								6		3	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)									4	1		
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)							4					
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)									1		1	
Malignant neoplasms (140-205)	40		24		22		57	10	185	7	63	5
Benign and unspecified neoplasms (210-239)	1							1	4			
Diabetes mellitus (260)	6				4		8		15	3	7	3
Anemias (290-293)	1						1		3		1	
Vascular lesions affecting central nervous system (330-334)	34		22		18		72	11	158	4	53	5
Nonmeningococcal meningitis (340)											2	
Rheumatic fever (400-402)											1	
Chronic rheumatic heart disease (410-416)	3		1				1		8		2	
Arteriosclerotic and degenerative heart disease (420-422)	96		31		37		155	15	222	16	152	9
Other diseases of heart (430-434)	7	1	2		3		1	2	14		13	
Hypertension with heart disease (440-443)	5	1	2		4		9	5	47	3	13	
Hypertension w/o mention of heart (444-447)	2		3		3		4		9		2	
Other diseases of circulatory system (450-468)	6		8		5		19	1	41	1	14	1
Influenza (480-483)	7		6		1		4	1	6		2	
Lobar pneumonia 4 weeks (490)	1		1				1		3		5	1
Bronchopneumonia 4 weeks (491)	6		2		4		6	1	29	6	1	
Pneumonia, other forms 4 weeks (492-493)	1				3		7		9	1	8	1
Bronchitis (500-502)	1						2		5		1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)									1		1	
Gastro Enteritis and colitis, 2 years (571.1)							1		1			
Cirrhosis of liver (581)	2		2				4		10		3	1
Other diseases of digestive system (530-587 excl. above)	9		1		1		9	4	26	1	9	
Nephritis and nephrosis (590-594)	5				1		2	2	12			2
Complications of pregnancy and puerperium (640-652; 660-689)	2										1	
Congenital malformations (750-759)	1				1		5	1	8		6	
Birth injuries, asphyxia, (under 4 weeks) (760-762)							8	2	16	2	3	
Pneumonia of newborn (under 4 weeks) (763)							1	1	1			1
Diarrhea of newborn (under 4 weeks) (764)											1	
Other infections of newborn (under 4 weeks) (765-768)									1			
Other diseases of early infancy (under 4 weeks) (769-776)	5				1		16	1	9		5	1
Senility, ill defined and unknown causes (780-795)	1		1		1				53	6	12	1
All other diseases (residual)	9		7		5		34	5	43		15	3
Motor vehicle accidents (810-835)	7		4		2		10		21	3	15	1
All other accidents (800-802; 840-962)	5		2		4		15	1	33	3	16	2
Suicide and self-inflicted injury (970-979)	4		2		1		10		7		1	
Homicide (980-985)								2	1	1	1	1

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1963

	CALDWELL		CALLAWAY		CAMDEN		CAPE GIRARDEAU		CARROLL		CARTER	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963	8,260		23,446		9,285		42,054		12,960		3,671	
TOTAL LIVE BIRTHS	98		395	32	132		834	38	194	9	57	
Attended by M.D.	51		356	25	85		769	33	152	7	51	
Attended by D.O.	47		39	7	46		65	3	42	2	6	
Attended by midwives								2				
Others or unspecified					1							
TOTAL FETAL DEATHS	1		8	1	1		13		2			
Attended by M.D.	1		7	1	1		12		1			
Attended by D.O.			1				1		1			
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	152		239	21	124		447	20	180	8	60	
Under one year of age	1		5		4		14	1	1		2	
Neonatal deaths	1		4		2		10	1	1		2	
Maternal deaths			1						1			
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1		1		1		1					
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)							1	1	1			
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1									
Malignant neoplasms (140-205)	12		52	5	24		60	1	26	1	9	
Benign and unspecified neoplasms (210-239)							2					
Diabetes mellitus (260)			3	1	3		5		7			
Anemias (290-293)					1						1	
Vascular lesions affecting central nervous system (330-334)	27		35	5	13		57	5	22	2	5	
Nonmeningococcal meningitis (340)							1					
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1		1		2		5				1	
Arteriosclerotic and degenerative heart disease (420-422)	59		69	7	36		169	4	61	2	23	
Other diseases of heart (430-434)	4		1		4		3		2			
Hypertension with heart disease (440-443)	4		10		10		14		3		2	
Hypertension w/o mention of heart (444-447)			2				6	1				
Other diseases of circulatory system (450-468)	9		12		7		15		4		5	
Influenza (480-483)	2						2		3			
Lobar pneumonia 4 weeks (490)	1		1				3			1		
Bronchopneumonia 4 weeks (491)	3		4				9		1		3	
Pneumonia, other forms 4 weeks (492-493)	5		1		2		3		1			
Bronchitis (500-502)							3		1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1			1		
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)					1		9	1	1			
Other diseases of digestive system (530-587 excl. above)	6		7		1		8		9		1	
Nephritis and nephrosis (590-594)	1		2	2	3			1	1			
Complications of pregnancy and puerperium (640-652; 660-689)			1						1			
Congenital malformations (750-759)					1		5	1	1			
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1		4				4		1		1	
Pneumonia of newborn (under 4 weeks) (763)												
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)					1		4				1	
Senility, ill defined and unknown causes (780-795)	4		1		3		1	1	10			
All other diseases (residual)	3		13		4		25	3	11		2	
Motor vehicle accidents (810-835)	2		3	1	2		13		6		3	
All other accidents (800-802; 840-962)	6		9		4		16	1	7		2	
Suicide and self-inflicted injury (970-979)	1		3				2				1	
Homicide (980-985)			3		1					1		

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1963

	CASS		CEDAR		CHARITON		CHRISTIAN		CLARK		CLAY	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963	34,285		8,623		11,773		12,011		8,463		111,586	
TOTAL LIVE BIRTHS	639	2	139		146	19	222		172		2,065	10
Attended by M.D.	497	2	92		102	14	207		145		1,842	8
Attended by D.O.	141		47		44	3	14		27		223	2
Attended by midwives						2	1					
Others or unspecified	1											
TOTAL FETAL DEATHS	8				2		5		2		16	1
Attended by M.D.	6				2		5		1		15	1
Attended by D.O.	2										1	
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	267	1	150		198	9	156		121	1	636	11
Under one year of age	12	1	2		1		4		2		36	
Neonatal deaths	9		2		1		3		1		31	
Maternal deaths											1	
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)					1		3				4	
Tuberculosis, other forms (010-019)	1											
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	1				2		1				1	
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)					1							
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)	1											
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	2				1		1					
Malignant neoplasms (140-205)	42		25		30	1	26		18		94	1
Benign and unspecified neoplasms (210-239)	2						1		1		1	
Diabetes mellitus (260)	6		4		2		2				4	
Anemias (290-293)					1							
Vascular lesions affecting central nervous system (330-334)	28		19		31	1	24		24	1	74	1
Nonmeningococcal meningitis (340)	2											
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1				1		5				1	
Arteriosclerotic and degenerative heart disease (420-422)	79		63		65	2	44		36		221	3
Other diseases of heart (430-434)	17		5		6		4		2		9	
Hypertension with heart disease (440-443)	2		4		5	1	3		6		3	
Hypertension w/o mention of heart (444-447)	2		1		4				3		4	
Other diseases of circulatory system (450-468)	14		4		8		2		3		36	2
Influenza (480-483)	2				2		4				4	
Lobar pneumonia 4 weeks (490)	1				4				1		3	
Bronchopneumonia 4 weeks (491)	2		2		3		1				4	
Pneumonia, other forms 4 weeks (492-493)	2		2				1				7	
Bronchitis (500-502)			1		1						4	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1	1										
Gastro Enteritis and colitis, 2 years (571.1)	1						1				1	
Cirrhosis of liver (581)							1				8	1
Other diseases of digestive system (530-587 excl. above)	6		1		4		7		1		16	
Nephritis and nephrosis (590-594)	3		2		1				1		5	
Complications of pregnancy and puerperium (640-652; 660-689)											1	
Congenital malformations (750-759)			2						1		12	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	7						2		1		11	
Pneumonia of newborn (under 4 weeks) (763)												
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	1		1				1				14	
Senility, ill defined and unknown causes (780-795)	3		1		3		1		3		3	
All other diseases (residual)	8		5		10		10		3		32	
Motor vehicle accidents (810-835)	17		2		5	1	5		5		24	3
All other accidents (800-802; 840-962)	9		6		4	3	3		6		26	
Suicide and self-inflicted injury (970-979)	4				3		3		6		6	
Homicide (980-985)											3	

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1963

	CLINTON		COLE		COOPER		CRAWFORD		DADE		DALLAS	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963	11,266		41,703		14,731		12,644		6,920		8,709	
TOTAL LIVE BIRTHS	150	10	800	24	245	26	270		93		122	
Attended by M.D.	107	8	652	10	232	25	243		69		102	
Attended by D.O.	43	2	148	14	13	1	24		24		19	
Attended by midwives												
Others or unspecified												
TOTAL FETAL DEATHS	2		14	1	6	1	4		2		1	
Attended by M.D.	1		13	1	6	1	3		2		1	
Attended by D.O.	1		1				1					
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	196	2	370	19	193	23	175		100		129	
Under one year of age	7		17	1	13	1	9				4	
Neonatal deaths	5		12	1	10		6				1	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)			1			1	1		1			
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)					1							
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1		2		1							
Malignant neoplasms (140-205)	27		47	2	26	3	26		13		14	
Benign and unspecified neoplasms (210-239)			1						1			
Diabetes mellitus (260)	5		3		1		2		1		2	
Anemias (290-293)						1			2			
Vascular lesions affecting central nervous system (330-334)	27		44	3	21	3	22		18		14	
Nonmeningococcal meningitis (340)											1	
Rheumatic fever (400-402)											1	
Chronic rheumatic heart disease (410-416)			2	1	1						1	
Arteriosclerotic and degenerative heart disease (420-422)	71	1	118	1	73	6	63		38		43	
Other diseases of heart (430-434)	4		10	1	4		7		2		1	
Hypertension with heart disease (440-443)	3	1	14	1	8	1	4		2		6	
Hypertension w/o mention of heart (444-447)	2		7						1			
Other diseases of circulatory system (450-468)	6		15	1	10		5		1		5	
Influenza (480-483)	2				2		2				3	
Lobar pneumonia 4 weeks (490)	1				1	2						
Bronchopneumonia 4 weeks (491)	4		6	1	1		5		3		1	
Pneumonia, other forms 4 weeks (492-493)			4	1	1		5		1			
Bronchitis (500-502)			2								2	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					2		1					
Gastro Enteritis and colitis, 2 years (571.1)	1				1		1					
Cirrhosis of liver (581)	1		2		1							
Other diseases of digestive system (530-587 excl. above)	5		7	1	4		4		1		1	
Nephritis and nephrosis (590-594)	1		2		1	1	4		2		2	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	1		9		3		1				1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3		6	1	2		4				1	
Pneumonia of newborn (under 4 weeks) (763)												
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	2		4		5		1					
Senility, ill defined and unknown causes (780-795)	10		8	1			5		2		13	
All other diseases (residual)	8		17		7	2	4		5		8	
Motor vehicle accidents (810-835)	7		14		1		3		2		4	
All other accidents (800-802; 840-962)	2		19	3	10	1	2		3		5	
Suicide and self-inflicted injury (970-979)	2		6	1	5	2	3		1			
Homicide (980-985)												

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1963

	DAVIESS		DEKALB		DENT		DOUGLAS		DUNKLIN		FRANKLIN	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963	8,726		6,790		9,965		8,691		36,389		46,981	
TOTAL LIVE BIRTHS	116		78		155		146		781	42	1,050	14
Attended by M.D.	72		47		129		92		730	30	1,002	12
Attended by D.O.	44		31		14		52		48	10	48	2
Attended by midwives					9				1	2		
Others or unspecified					3		2		2			
TOTAL FETAL DEATHS	2		2		2		3		14		14	1
Attended by M.D.	2		2				2		13		14	1
Attended by D.O.					2		1					
Attended by midwives												
Others or unspecified									1			
TOTAL DEATHS	167	2	109		161		119		415	11	490	6
Under one year of age			2		5		3		29	1	18	1
Neonatal deaths					4		2		19		15	
Maternal deaths									1		1	
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)									3		3	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	1											
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)										1		
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)									1			
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)							1		1			
Malignant neoplasms (140-205)	24		17		16		22		51	3	74	1
Benign and unspecified neoplasms (210-239)	1		1									
Diabetes mellitus (260)	1		1		3		1		5	1	11	
Anemias (290-293)	1		1									
Vascular lesions affecting central nervous system (330-334)	28	1	7		26		20		49	2	51	2
Nonmeningococcal meningitis (340)									1			1
Rheumatic fever (400-402)							1					
Chronic rheumatic heart disease (410-416)	1						1		1		5	
Arteriosclerotic and degenerative heart disease (420-422)	44		53		58		26		157	2	189	1
Other diseases of heart (430-434)	2		1						13		13	
Hypertension with heart disease (440-443)	9		2		9		6		8		16	
Hypertension w/o mention of heart (444-447)	1		1		1		2		2		6	1
Other diseases of circulatory system (450-468)	13		4		6		6		13		17	
Influenza (480-483)	2				1		2		1		2	
Lobar pneumonia 4 weeks (490)	3				2		4		3		1	
Bronchopneumonia 4 weeks (491)	4		1				2		5	1	7	
Pneumonia, other forms 4 weeks (492-493)	1				6		1		4		11	
Bronchitis (500-502)			1						1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)									1			
Gastro Enteritis and colitis, 2 years (571.1)										1	1	
Cirrhosis of liver (581)	1								3		3	
Other diseases of digestive system (530-587 excl. above)	8		1		1		2		9		11	
Nephritis and nephrosis (590-594)	1						3		4		2	
Complications of pregnancy and puerperium (640-652; 660-689)									1		1	
Congenital malformations (750-759)					2		1		5		1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)					1				4		8	
Pneumonia of newborn (under 4 weeks) (763)									4			
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)			1				2		9		6	
Senility, ill defined and unknown causes (780-795)	1		5		11		6		8		9	
All other diseases (residual)	11		6		5		5		21		13	
Motor vehicle accidents (810-835)	3		2		7		2		11		10	
All other accidents (800-802; 840-962)	5	1	4		5		1		12		11	
Suicide and self-inflicted injury (970-979)	1				1				4		6	
Homicide (980-985)							1				2	

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1963

	GASCONADE		GENTRY		GREENE		GRUNDY		HARRISON		HENRY	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1962	11,834		8,010		131,127		11,521		10,581		18,490	
TOTAL LIVE BIRTHS	183		115		2,478	55	179		144		345	
Attended by M.D.	149		80		2,420	55	155		83		236	
Attended by D.O.	34		35		55		24		61		109	
Attended by midwives												
Others or unspecified					3							
TOTAL FETAL DEATHS	3		1		22		5		3		3	
Attended by M.D.	3		1		22		3		2		3	
Attended by D.O.							2		1			
Attended by Midwives												
Others or unspecified												
TOTAL DEATHS	150		143		1,283	41	232		191		341	5
Under one year of age	1		2		62	4	6		5		13	
Neonatal deaths	1		2		41	1	5		4		11	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)					4						1	
Tuberculosis, other forms (010-019)					2							
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	2		1		2							
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)	1											
Measles (085)												
Infectious hepatitis (092)	1				1							
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1		1		3				1		1	
Malignant neoplasms (140-205)	21		24		187	6	27		35		50	
Benign and unspecified neoplasms (210-239)			1		4						3	
Diabetes mellitus (260)	2		2		10		3		6		4	
Anemias (290-293)					3		1					
Vascular lesions affecting central nervous system (330-334)	17		21		193	12	43		18		46	
Nonmeningococcal meningitis (340)					1							
Rheumatic fever (400-402)					1							
Chronic rheumatic heart disease (410-416)	1				11		2		1		2	
Arteriosclerotic and degenerative heart disease (420-422)	70		49		410	5	65		54		128	3
Other diseases of heart (430-434)	5		1		23	1	2		4		7	
Hypertension with heart disease (440-443)	1		2		33	1	28		17		3	
Hypertension w/o mention of heart (444-447)	1				4	2	3		2		2	
Other diseases of circulatory system (450-468)	4		3		49	2	15		9		14	1
Influenza (480-483)					2		2		4		3	
Lobar pneumonia 4 weeks (490)	1		1		3				1		3	
Bronchopneumonia 4 weeks (491)	1		5		18	4	2		1		5	1
Pneumonia, other forms 4 weeks (492-493)	2		1		16		1		2		3	
Bronchitis (500-502)					1		2				2	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					1							
Gastro Enteritis and colitis, 2 years (571.1)					1				1		2	
Cirrhosis of liver (581)	2		1		5				1		3	
Other diseases of digestive system (530-587 excl. above)	3		7		31	1	4		7		5	
Nephritis and nephrosis (590-594)	1		1		9	1	3		2		5	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)			1		15		2				3	
Birth injuries, asphyxia, (under 4 weeks) (760-762)					17		2		1		5	
Pneumonia of newborn (under 4 weeks) (763)					3	1					1	
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)											1	
Other diseases of early infancy (under 4 weeks) (769-776)	1		2		15		2		3		2	
Senility, ill defined and unknown causes (780-795)	1		4		64	2	5		2		7	
All other diseases (residual)	5		5		43	1	7		7		11	
Motor vehicle accidents (810-835)	2		4		42		1		7		9	
All other accidents (800-802; 840-962)	3		5		42	2	5		4		7	
Suicide and self-inflicted injury (970-979)	1		1		8		5		1		3	
Homicide (980-985)					6							

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1963

	HICKORY		HOLT		HOWARD		HOWELL		IRON		JACKSON	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963	4,135		7,099		10,381		21,225		7,396		636,548	
TOTAL LIVE BIRTHS	49		93		152	31	401		142		11,361	3,000
Attended by M.D.	30		81		140	29	365		125		9,829	2,940
Attended by D.O.	18		12		11	1	36		16		1,532	58
Attended by midwives												1
Others or unspecified	1				1	1			1			1
TOTAL FETAL DEATHS	1		1		3	2	2		1		73	45
Attended by M.D.	1		1		3	2	2		1		70	41
Attended by D.O.											2	
Attended by midwives												
Others or unspecified											1	4
TOTAL DEATHS	58		142		148	19	277	2	144	3	5,977	1,131
Under one year of age	1		6		4	1	6		2		235	117
Neonatal deaths	1		3		3		4		2		179	85
Maternal deaths											5	1
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)						1	2				43	15
Tuberculosis, other forms (010-019)												3
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)											16	4
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)											1	1
Diphtheria (055)												
Whooping cough (056)												1
Meningococcal infections (057)					1							
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)											1	
Measles (085)									1		1	
Infectious hepatitis (092)											2	
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103, 105-108)											1	
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			2						1		9	3
Malignant neoplasms (140-205)	14		25		20	7	41	1	15		922	154
Benign and unspecified neoplasms (210-239)									1		16	1
Diabetes mellitus (260)			1		2		3				85	18
Anemias (290-293)										1	12	4
Vascular lesions affecting central nervous system (330-334)	5		20		18	1	47	1	20		626	114
Nonmeningococcal meningitis (340)							1				8	3
Rheumatic fever (400-402)											1	
Chronic rheumatic heart disease (410-416)	1		1		1		1		1		58	11
Arteriosclerotic and degenerative heart disease (420-422)	23		49		52	4	109		52		2,098	217
Other diseases of heart (430-434)	4		5		5		2		4	1	104	26
Hypertension with heart disease (440-443)	3		5		1		5		5		141	55
Hypertension w/o mention of heart (444-447)							3		1		34	4
Other diseases of circulatory system (450-468)			3		6	1	8		10		218	104
Influenza (480-483)									1		14	3
Lobar pneumonia 4 weeks (490)	1				1		4		4		35	8
Bronchopneumonia 4 weeks (491)	1		5		3		2		4		169	39
Pneumonia, other forms 4 weeks (492-493)			2		4	1	5		4		67	11
Bronchitis (500-502)					1		4				13	1
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)											2	2
Gastro Enteritis and colitis, 2 years (571.1)											2	2
Cirrhosis of liver (58.)			1		1						85	11
Other diseases of digestive system (530-587 excl. above)	1		1		2		8		2		179	25
Nephritis and nephrosis (590-594)			1				2		2		36	16
Complications of pregnancy and puerperium (640-652; 660-689)											5	1
Congenital malformations (750-759)					1		2				62	9
Birth injuries, asphyxia, (under 4 weeks) (760-762)					1		1		2		59	25
Pneumonia of newborn (under 4 weeks) (763)					1						15	3
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	1		4				2				73	56
Senility, ill defined and unknown causes (780-795)	1					2					59	9
All other diseases (residual)	1		9		7	1	9		7		281	78
Motor vehicle accidents (810-835)	1		3		6	1	6		5		121	16
All other accidents (800-802; 840-962)			4		12		7		1	1	186	34
Suicide and self-inflicted injury (970-979)			1		2		2				83	7
Homicide (980-985)	1						1		1		34	37

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1963

	JASPER		JEFFERSON		JOHNSON		KNOX		LACLEDE		LAFAYETTE	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963	76,565		80,974		32,209		6,112		18,457		24,477	
TOTAL LIVE BIRTHS	1,424	18	1,824	26	455	12	98		423	2	402	21
Attended by M.D.	1,158	16	1,715	25	403	12	35		406	2	313	15
Attended by D.O.	265	2	106	1	52		63		17		88	6
Others or unspecified	1		3								1	
TOTAL FETAL DEATHS	20		28		8				3		6	
Attended by M.D.	17		24		8				3		4	
Attended by D.O.	3		4								2	
Others or unspecified												
TOTAL DEATHS	1,049	16	547	22	307	17	79	2	220	1	257	25
Under one year of age	36		24	2	21	5	1		8		2	1
Neonatal deaths	19		17	2	19	4			7		2	1
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	13		2						3		1	1
Tuberculosis, other forms (010-019)	1											
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	2						1					
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)	1		1									
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)			1									
Measles (085)	1											
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	3				1							
Malignant neoplasms (140-205)	145	1	88	1	43	1	9	1	45		42	7
Benign and unspecified neoplasms (210-239)			3		2						1	
Diabetes mellitus (260)	8		9		6				4		4	
Anemias (290-293)	2				1							
Vascular lesions affecting central nervous system (330-334)	126	4	67	1	34	2	16		22		30	2
Nonmeningococcal meningitis (340)	1								1			
Rheumatic fever (400-402)			1									
Chronic rheumatic heart disease (410-416)	7		3		3				1			
Arteriosclerotic and degenerative heart disease (420-422)	340	3	207	10	106	2	26		63		92	8
Other diseases of heart (430-434)	19		5		5		3		7		3	1
Hypertension with heart disease (440-443)	25	1	11	1	5		2		8	1	12	1
Hypertension w/o mention of heart (444-447)	11		2		3		2	1	1		1	
Other diseases of circulatory system (450-468)	48		17	2	10	2	2		3		12	
Influenza (480-483)	8	1			3		1		1		1	
Lobar pneumonia 4 weeks (490)	11		1		1		2				1	
Bronchopneumonia 4 weeks (491)	16	1	17		9	1			2		4	
Pneumonia, other forms 4 weeks (492-493)	15		8	1	3				3		3	
Bronchitis (500-502)	2				1						1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1		1		1		1					
Gastro Enteritis and colitis, 2 years (571.1)	6				1						1	
Cirrhosis of liver (581)	12			1			1				2	
Other diseases of digestive system (530-587 excl. above)	36		10		11	1	5		8		7	1
Nephritis and nephrosis (590-594)	5	1	4		1				1		3	1
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	6		8		6				1			
Birth injuries, asphyxia, (under 4 weeks) (760-762)	4		6	1	4	1			3			
Pneumonia of newborn (under 4 weeks) (763)	1		2		2	1						
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)				1								
Other diseases of early infancy (under 4 weeks) (769-776)	10		6		9	3			3		2	1
Senility, ill defined and unknown causes (780-795)	43	1	4		1		1		8		2	
All other diseases (residual)	58	2	18	1	8	1	2		14		12	2
Motor vehicle accidents (810-835)	23		20		14		1		5		8	
All other accidents (800-802; 840-962)	28	1	18		9	1	2		9		9	
Suicide and self-inflicted injury (970-979)	9		5	2	4		2		3		3	
Homicide (980-985)	2		2						1			

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1963

	LAWRENCE		LEWIS		LINCOLN		LINN		LIVINGSTON		MCDONALD	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963	22,643		10,888		14,942		15,674		15,129		10,876	
TOTAL LIVE BIRTHS	418		188	14	296	14	220	3	290	1	201	
Attended by M.D.	358		163	11	224	11	155	3	202	1	155	
Attended by D.O.	60		25	3	72	3	65		88		46	
Attended by midwives												
Others or unspecified												
TOTAL FETAL DEATHS	3		1	1	5		4	1	2		2	
Attended by M.D.	3		1	1	5		2		2		1	
Attended by D.O.							2	1				
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	335		151	11	192	13	274	4	233	4	177	
Under one year of age	7		8	2	6	1	4		6		4	
Neonatal deaths	5		7	1	4	1	3		5		3	
Maternal deaths	1											
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	6				1		1					
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	1								1			
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)	1											
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1				1						2	
Malignant neoplasms (140-205)	49		22	3	24	1	38	1	35		27	
Benign and unspecified neoplasms (210-239)	1										1	
Diabetes mellitus (260)	3		1		2		3		7		4	
Anemias (290-293)	2								1			
Vascular lesions affecting central nervous system (330-334)	41		32		51	1	44		34		25	
Nonmeningococcal meningitis (340)							1					
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	11					1	3		2			
Arteriosclerotic and degenerative heart disease (420-422)	105		49	2	63	4	102	1	82	2	44	
Other diseases of heart (430-434)	3		2	1	8	1	10	1	3		4	
Hypertension with heart disease (440-443)	7		3	1			8		1		4	
Hypertension w/o mention of heart (444-447)	3				2		1		1			
Other diseases of circulatory system (450-468)	9		5	1	6		6		17		6	
Influenza (480-483)					3	1	4				2	
Lobar pneumonia 4 weeks (490)	1				1		1		1			
Bronchopneumonia 4 weeks (491)	8		4				1		2		4	
Pneumonia, other forms 4 weeks (492-493)	3		1		1		2		2		2	
Bronchitis (500-502)												
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)				1					1			
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)	2		2		3		1		2		1	
Other diseases of digestive system (530-587 excl. above)	12		4		2	1	5		9		5	
Nephritis and nephrosis (590-594)	3		5				3		1	1	3	
Complications of pregnancy and puerperium (640-652; 660-689)	1											
Congenital malformations (750-759)	3			1		1	3					
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2		4		1	1	1		1		3	
Pneumonia of newborn (under 4 weeks) (763)					1							
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	4		2		1		1		4			
Senility, ill defined and unknown causes (780-795)	10		1		2		2		2		3	
All other diseases (residual)	16		7	1	7		13	1	6		16	
Motor vehicle accidents (810-835)	9		2		4	1	11		7	1	7	
All other accidents (800-802; 840-962)	13		5		7		6		8		8	
Suicide and self-inflicted injury (970-979)	5				1		1		2		4	
Homicide (980-985)							2		1			

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1963

	MACON		MADISON		MARIES		MARION		MERCER		MILLER	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963	15,541		8,735		7,009		28,628		5,191		13,497	
TOTAL LIVE BIRTHS	233	9	136		136		513	33	70		274	
Attended by M.D.	113	8	134		54		512	32	34		95	
Attended by D.O.	120	1	2		81		1	1	36		179	
Attended by midwives												
Others or unspecified					1							
TOTAL FETAL DEATHS	3	1	2		3		2	1	1		2	
Attended by M.D.	1	1	2		1		2	1	1		2	
Attended by D.O.	2				2							
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	263	6	141		78		357	26	89	1	170	
Under one year of age	6	1	4		1		8		1		7	
Neonatal deaths	5	1	3		1		6		1		6	
Maternal deaths	1											
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1	1	1		1		1				1	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	1						1					
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)	1						1					
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)			1									
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1											
Malignant neoplasms (140-205)	36	1	20		9		48	7	13		27	
Benign and unspecified neoplasms (210-239)			2									
Diabetes mellitus (260)	7		1				4	1	3		3	
Anemias (290-293)									1			
Vascular lesions affecting central nervous system (330-334)	50	1	19		13		45	2	9		31	
Nonmeningococcal meningitis (340)							2					
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1		3				1		1		1	
Arteriosclerotic and degenerative heart disease (420-422)	75	1	59		25		136	9	36		49	
Other diseases of heart (430-434)	5		2		2		9		1		1	
Hypertension with heart disease (440-443)	9	1	1				9		3		4	
Hypertension w/o mention of heart (444-447)	4		1		1		1	1				
Other diseases of circulatory system (450-468)	15		5		4		20	1	7	1	3	
Influenza (480-483)	2		1		1		2				1	
Lobar pneumonia 4 weeks (490)	2				2		1		1		2	
Bronchopneumonia 4 weeks (491)	3						5	1	1		1	
Pneumonia, other forms 4 weeks (492-493)	5		3		2		5				2	
Bronchitis (500-502)	1				1		1				2	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1					
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)	5		1				2				1	
Other diseases of digestive system (530-587 excl. above)	8		1		1		6		1		6	
Nephritis and nephrosis (590-594)	2				1		4	1	1		2	
Complications of pregnancy and puerperium (640-652; 660-689)	1											
Congenital malformations (750-759)					1		2				1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1		1				3		1		2	
Pneumonia of newborn (under 4 weeks) (763)		1										
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	4		2				3				4	
Senility, ill defined and unknown causes (780-795)	3		5		4		2				3	
All other diseases (residual)	8		5		3		23	2	1		9	
Motor vehicle accidents (810-835)	2		4		3		4		3		5	
All other accidents (800-802; 840-962)	8		2		3		10	1	4		6	
Suicide and self-inflicted injury (970-979)	2		1		1		5		2		3	
Homicide (980-985)												

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS,
AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
COUNTY AREAS INCLUDING CITIES, MISSOURI: 1963

	MISSISSIPPI		MONITEAU		MONROE		MONTGOMERY		MORGAN		NEW MADRID	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963	19,589		10,123		10,327		11,039		9,009		28,640	
TOTAL LIVE BIRTHS	311	193	202	1	149	20	198	9	143	3	461	207
Attended by M.D.	197	26	162	1	127	19	133	9	120	3	368	99
Attended by D.O.	113	101	40		22	1	65		22		90	28
Attended by midwives		66									2	78
Others or unspecified	1								1		1	2
TOTAL FETAL DEATHS	4	7	2		2	2	2		1		8	5
Attended by M.D.	3	1	2		1	2	1		1		6	3
Attended by D.O.	1	4			1		1				2	1
Attended by midwives		1										1
Others or unspecified		1										
TOTAL DEATHS	184	94	156	2	153	11	186	16	134	2	251	96
Under one year of age	18	18	6	1	3		5	1	1		20	23
Neonatal deaths	10	7	5	1	3		2		1		13	9
Maternal deaths												1
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)									1		3	1
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	1											
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)		1										
Diphtheria (055)											1	
Whooping cough (056)		2										
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)			1									1
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)		1			1						1	
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)									1		1	
Malignant neoplasms (140-205)	25	5	20	1	18	2	30	1	29	1	33	2
Benign and unspecified neoplasms (210-239)	1											
Diabetes mellitus (260)	4						3	1	3		10	
Anemias (290-293)									1		1	
Vascular lesions affecting central nervous system (330-334)	15	5	30		15	2	28	3	25		25	16
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)							1				4	1
Arteriosclerotic and degenerative heart disease (420-422)	52	21	53		61	4	58	4	37	1	72	19
Other diseases of heart (430-434)	12		6		4	2	4	1	1		8	
Hypertension with heart disease (440-443)	4	3	3		9		11	3	1		3	2
Hypertension w/o mention of heart (444-447)		1					2				1	1
Other diseases of circulatory system (450-468)	7	3	5		6		7		8		8	1
Influenza (480-483)	2	3			5		1	1			1	1
Lobar pneumonia 4 weeks (490)	3	3	5				2				5	1
Bronchopneumonia 4 weeks (491)	2	4	6				1		4		3	1
Pneumonia, other forms 4 weeks (492-493)	4	2	2				3	1			3	1
Bronchitis (500-502)			2				1		1			2
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1	2										3
Gastro Enteritis and colitis, 2 years (571.1)												2
Cirrhosis of liver (581)			1		1		1		2		1	
Other diseases of digestive system (530-587 excl. above)	5	1	2		2	1	4		5		3	
Nephritis and nephrosis (590-594)	1	1			2			1				
Complications of pregnancy and puerperium (640-652; 660-689)												1
Congenital malformations (750-759)			2									2
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3	4	2		3						4	
Pneumonia of newborn (under 4 weeks) (763)				1			1				3	1
Diarrhea of newborn (under 4 weeks) (764)	1	1										1
Other infections of newborn (under 4 weeks) (765-768)											1	
Other diseases of early infancy (under 4 weeks) (769-776)	5		1				1		1		5	1
Senility, ill defined and unknown causes (780-795)	10	18			3		1				9	11
All other diseases (residual)	8	1	5		9		15		6		11	6
Motor vehicle accidents (810-835)	4	2	2		4		3		2		10	1
All other accidents (800-802; 840-962)	12	10	4		9		7		4		19	13
Suicide and self-inflicted injury (970-979)	2		1		1		1		2		1	1
Homicide (980-985)			1								1	3

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1963

	NEWTON		NODAWAY		OREGON		OSAGE		OZARK		PEMISCOT	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963	29,991		21,037		8,990		10,493		5,998		35,416	
TOTAL LIVE BIRTHS	507	4	401		150		232		91		513	374
Attended by M.D.	397	1	393		98		176		65		507	339
Attended by D.O.	110	3	8		51		56		25		3	5
Attended by midwives									1		2	22
Others or unspecified					1						1	8
TOTAL FETAL DEATHS	9		5				3		2		6	12
Attended by M.D.	5		5				2		1		6	10
Attended by D.O.	4						1		1			1
Attended by Midwives												
Others or unspecified												1
TOTAL DEATHS	338	2	298	2	124		113	1	86		280	125
Under one year of age	12				4		4		4		28	20
Neonatal deaths	10				4		4		3		15	7
Maternal deaths	1											
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	5						1				1	1
Tuberculosis, other forms (010-019)									1			
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	2											
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												1
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												1
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)	1											1
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)			1									
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1		1		2		1		1		1	
Malignant neoplasms (140-205)	30		55		9		16		13		34	10
Benign and unspecified neoplasms (210-239)					1							1
Diabetes mellitus (260)	3		2		4						8	2
Anemias (290-293)			1						1			
Vascular lesions affecting central nervous system (330-334)	46	1	59	1	17		16		14		31	16
Nonmeningococcal meningitis (340)											1	
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1		2								3	1
Arteriosclerotic and degenerative heart disease (420-422)	120	1	95		49		40	1	24		77	19
Other diseases of heart (430-434)	12		2		2		5		3		8	4
Hypertension with heart disease (440-443)	3		10	1	7		4		3		16	11
Hypertension w/o mention of heart (444-447)	1		6		1		4				2	1
Other diseases of circulatory system (450-468)	13		7		4		4		5		8	1
Influenza (480-483)	2		4		1						4	2
Lobar pneumonia 4 weeks (490)	3		1						1			1
Bronchopneumonia 4 weeks (491)	6		3				1		1		3	4
Pneumonia, other forms 4 weeks (492-493)	4		2		1		2		1		10	2
Bronchitis (500-502)	1		1									
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)											1	2
Gastro Enteritis and colitis, 2 years (571.1)			1									
Cirrhosis of liver (581)	1		1		1						3	
Other diseases of digestive system (530-587 excl. above)	14		7		2		1		2		6	2
Nephritis and nephrosis (590-594)	4		1		2						2	
Complications of pregnancy and puerperium (640-652; 660-689)	1											
Congenital malformations (750-759)	2										1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1				2				1		7	
Pneumonia of newborn (under 4 weeks) (763)					1						1	2
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)							2					
Other diseases of early infancy (under 4 weeks) (769-776)	6				1		2		2		5	3
Senility, ill defined and unknown causes (780-795)	17		1		3				1		11	12
All other diseases (residual)	16		18		7		2		3		14	6
Motor vehicle accidents (810-835)	7		4		2		2		4		10	2
All other accidents (800-802; 840-962)	12		11		2		9		1		10	12
Suicide and self-inflicted injury (970-979)	2		2		2		1		4		1	1
Homicide (980-985)	1				1						1	4

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS,
AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
COUNTY AREAS INCLUDING CITIES, MISSOURI: 1963

	PERRY		PETTIS		PHELPS		PIKE		PLATTE		POLK	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963	14,103		35,652		26,191		16,285		27,098		12,750	
TOTAL LIVE BIRTHS	308		624	38	545	1	308	23	520	3	197	
Attended by M.D.	306		484	38	440	1	210	11	475	2	176	
Attended by D.O.	2		140		104		94	12	43	1	21	
Attended by midwives							3					
Others or unspecified					1		1		2			
TOTAL FETAL DEATHS	6		8	1	7		6	2	5		4	
Attended by M.D.	6		7	1	7		3	1	5		3	
Attended by D.O.			1				3	1			1	
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	174	2	413	32	245	1	227	21	181	5	212	
Under one year of age	5		22	3	9		10		6		3	
Neonatal deaths	4		18	1	6		6		5		3	
Maternal deaths										1		
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)					3		1				3	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)			1				1					
Typhoid fever (040)												
Paratyphoid fever (041)											1	
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)							1					
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)							1					
Malignant neoplasms (140-205)	30		62	3	24		40	3	27	1	35	
Benign and unspecified neoplasms (210-239)	1		1		1							
Diabetes mellitus (260)	3		12	1	3		6		1			
Anemias (290-293)												
Vascular lesions affecting central nervous system (330-334)	30		57	2	37	1	16	4	24	1	21	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	2		1		2		3	1			1	
Arteriosclerotic and degenerative heart disease (420-422)	58	1	152	11	81		76	7	64	1	85	
Other diseases of heart (430-434)	4		8		6		6		1	1	6	
Hypertension with heart disease (440-443)	8		11	5	14		8	1			8	
Hypertension w/o mention of heart (444-447)			2				1					
Other diseases of circulatory system (450-468)	2		17		12		7		8		6	
Influenza (480-483)			3	1	2		5		2		2	
Lobar pneumonia 4 weeks (490)			2				2		2		1	
Bronchopneumonia 4 weeks (491)	4		7				6		4		1	
Pneumonia, other forms 4 weeks (492-493)			3		13		5		1		1	
Bronchitis (500-502)	1		1									
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)					1							
Cirrhosis of liver (581)	1		1		4		3		1		1	
Other diseases of digestive system (530-587 excl. above)	3		9	2	7		2		7		8	
Nephritis and nephrosis (590-594)	3		2		4		1		1		2	
Complications of pregnancy and puerperium (640-652; 660-689)										1		
Congenital malformations (750-759)	2		5		4		2		1			
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2		11		2		2		2		1	
Pneumonia of newborn (under 4 weeks) (763)							1					
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	2		5	3	3		3		1		2	
Senility, ill defined and unknown causes (780-795)		1	2		2		4	1			14	
All other diseases (residual)	3		12	2	8		11	3	18		6	
Motor vehicle accidents (810-835)	8		14		4		3	1	10		1	
All other accidents (800-802; 840-962)	5		11	2	5		8		5		4	
Suicide and self-inflicted injury (970-979)	2		3		3		2		1		2	
Homicide (980-985)												

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1963

	PULASKI		PUTNAM		RALLS		RANDOLPH		RAY		REYNOLDS	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963	46,531		6,275		7,696		21,210		15,865		4,612	
TOTAL LIVE BIRTHS	426	15	114		140	5	358	26	273	3	92	
Attended by M.D.	254	14	9		132	5	284	22	244	3	78	
Attended by D.O.	172	1	105		8		74	2	29		11	
Attended by midwives												
Others or unspecified											2	
TOTAL FETAL DEATHS	8	2	2				1	2	2		3	
Attended by M.D.	5	2	1				1	2	2		3	
Attended by D.O.	3		1									
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	174	7	119		104	2	333	24	221	11	72	
Under one year of age	28	4	2		3	1	7	1	2	1	2	
Neonatal deaths	20	2	1		2	1	3	1	1	1	1	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)												
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)							1					
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)									1			
Malignant neoplasms (140-205)	17		22		9		45	6	36	4	11	
Benign and unspecified neoplasms (210-239)	1											
Diabetes mellitus (260)	3		1		3		3		6			
Anemias (290-293)	1											
Vascular lesions affecting central nervous system (330-334)	20		18		21		51	3	33	2	9	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)							2		2		1	
Arteriosclerotic and degenerative heart disease (420-422)	58	2	44		29	1	128	5	71	3	25	
Other diseases of heart (430-434)	1		2		3		4		5			
Hypertension with heart disease (440-443)	6		8		5		13	1	2		3	
Hypertension w/o mention of heart (444-447)	1		2		1						1	
Other diseases of circulatory system (450-468)			1		5		20	1	15	1	3	
Influenza (480-483)					2		1		4			
Lobar pneumonia 4 weeks (490)	2				4		2					
Bronchopneumonia 4 weeks (491)	2				1		5	1	2			
Pneumonia, other forms 4 weeks (492-493)	3				3		3		5			
Bronchitis (500-502)	2											
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)		1									1	
Gastro Enteritis and colitis, 2 years (571.1)									1			
Cirrhosis of liver (581)	1		1				1		2		1	
Other diseases of digestive system (530-587 excl. above)	5	1	3		2		6		3		3	
Nephritis and nephrosis (590-594)	2		2				3		1		1	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	5						1	1		1		
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3	1	1		1						1	
Pneumonia of newborn (under 4 weeks) (763)												
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)	1											
Other diseases of early infancy (under 4 weeks) (769-776)	9	1			1	1	3		1			
Senility, ill defined and unknown causes (780-795)	4		1		3		12	1	5			
All other diseases (residual)	7	1	8		4		8	2	12		5	
Motor vehicle accidents (810-835)	4				3		5		4		3	
All other accidents (800-802; 840-962)	14		3		4		11	3	9		1	
Suicide and self-inflicted injury (970-979)	2		2				5		1		3	
Homicide (980-985)												

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES: MISSOURI: 1963

	RIPLEY		ST. CHARLES		ST. CLAIR		ST. FRANCOIS		STE. GENEVIEVE		ST. LOUIS - Excl. St. Louis City	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1964	8,275		66,869		7,677		35,620		12,031		843,373	
TOTAL LIVE BIRTHS	140		1,827	32	108		629	2	259	3	15,353	526
Attended by M.D.	129		1,617	24	78		540	2	245	3	14,654	522
Attended by D.O.	6		210	8	30		87		14		693	1
Attended by midwives	3						2				3	
Others or unspecified	2										3	3
TOTAL FETAL DEATHS	2		18	1	2		16		3		197	11
Attended by M.D.	2		17	1	2		14		2		185	11
Attended by D.O.			1				2		1		8	
Attended by midwives												
Others or unspecified											4	
TOTAL DEATHS	111		427	13	121	2	431	3	124		5,414	206
Under one year of age	2		37	1	2	1	17		10		251	10
Neonatal deaths	2		33		2		11		8		196	9
Maternal deaths											1	
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1		1				1				17	2
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)					1						7	
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)											2	
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)	1		1								3	
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)	1		1								1	
Measles (085)												
Infectious hepatitis (092)											1	
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)					1						8	
Malignant neoplasms (140-205)	17		61	1	22		73	1	16		1,039	35
Benign and unspecified neoplasms (210-239)	1						1				16	1
Diabetes mellitus (260)			7	1	1		12		3		88	4
Anemias (290-293)				1							9	1
Vascular lesions affecting central nervous system (330-334)	18		50	2	26		61		13		556	21
Nonmeningococcal meningitis (340)							1				5	
Rheumatic fever (400-402)											2	
Chronic rheumatic heart disease (410-416)	1		4	1			5				60	3
Arteriosclerotic and degenerative heart disease (420-422)	42		124	2	42	1	135	1	51		1,891	42
Other diseases of heart (430-434)					2		10		1		54	5
Hypertension with heart disease (440-443)			4		2		11		5		117	12
Hypertension w/o mention of heart (444-447)				7	1						26	2
Other diseases of circulatory system (450-468)	4		19	1	6		18		3		189	9
Influenza (480-483)	1		3		1		2		2		8	2
Lobar pneumonia 4 weeks (490)	1		1		1		5		1		23	
Bronchopneumonia 4 weeks (491)	3		10				1		2		99	4
Pneumonia, other forms 4 weeks (492-493)	5		10	1	1	1	4		2		37	
Bronchitis (500-502)			2		1						18	1
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)											1	
Gastro Enteritis and colitis, 2 years (571.1)									1		5	
Cirrhosis of liver (581)			3	1							64	2
Other diseases of digestive system (530-587 excl. above)	2		9		1		8		1		127	4
Nephritis and nephrosis (590-594)			4		3		3		3		37	6
Complications of pregnancy and puerperium (640-652; 660-689)											1	
Congenital malformations (750-759)	2		6				3		3		61	2
Birth injuries, asphyxia, (under 4 weeks) (760-762)			14		1		3		3		72	4
Pneumonia of newborn (under 4 weeks) (763)			2								7	1
Diarrhea of newborn (under 4 weeks) (764)							1				1	
Other infections of newborn (under 4 weeks) (765-768)											3	
Other diseases of early infancy (under 4 weeks) (769-776)	1		15		1		6		3		71	4
Senility, ill defined and unknown causes (780-795)			17	1			8	1	2		124	15
All other diseases (residual)	6		14		4		17		5		204	10
Motor vehicle accidents (810-835)	1		16				20		3		139	4
All other accidents (800-802; 840-862)	2		15	1	3		19				146	4
Suicide and self-inflicted injury (970-979)	1		7				3				64	2
Homicide (980-985)									1		11	4

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1963

	SALINE		SCHUYLER		SCOTLAND		SCOTT		SHANNON		SHELBY	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963	24,108		4,716		6,083		31,948		6,637		8,613	
TOTAL LIVE BIRTHS	389	27	74		82		677	129	173		130	3
Attended by M.D.	372	23	21		30		547	49	121		94	1
Attended by D.O.	17	4	53		52		121	7	41		36	2
Attended by midwives							7	72	11			
Others or unspecified							2	1				
TOTAL FETAL DEATHS	5		1				5	3	2		2	
Attended by M.D.	4						4	2	2		1	
Attended by D.O.	1		1				1				1	
Attended by midwives												
Others or unspecified								1				
TOTAL DEATHS	314	23	82	1	106		280	49	91		157	
Under one year of age	6	2					8	11	5		4	
Neonatal deaths	3	2					5	6	3		3	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	2		1				2		1			
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)		1										
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)							1		1			
Malignant neoplasms (140-205)	60	1	14		22		46	4	14		20	
Benign and unspecified neoplasms (210-239)	1	1										
Diabetes mellitus (260)	4	1	1		1		3	1	2		4	
Anemias (290-293)					1		2					
Vascular lesions affecting central nervous system (330-334)	68	4	12	1	14		27	7	17		21	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	2				1						4	
Arteriosclerotic and degenerative heart disease (420-422)	105	7	31		44		108	13	30		46	
Other diseases of heart (430-434)	2		6		1		1	1	1		2	
Hypertension with heart disease (440-443)	9				2		11				11	
Hypertension w/o mention of heart (444-447)	2				1				2		4	
Other diseases of circulatory system (450-468)	4		3		2		10		6		7	
Influenza (480-483)	2		1				2		2		1	
Lobar pneumonia 4 weeks (490)	3						2					
Bronchopneumonia 4 weeks (491)	4		1		1		6	2			2	
Pneumonia, other forms 4 weeks (492-493)	4				1		5	3	1		1	
Bronchitis (500-502)	1				1							
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								2				
Gastro Enteritis and colitis, 2 years (571.1)	1								1			
Cirrhosis of liver (581)	1	1	1				2				2	
Other diseases of digestive system (530-587 excl. above)	8		1		3		10		1		6	
Nephritis and nephrosis (590-594)	1		1				1		1			
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)							6		1			
Birth injuries, asphyxia, (under 4 weeks) (760-762)		1					3	2	3		2	
Pneumonia of newborn (under 4 weeks) (763)								1				
Diarrhea of newborn (under 4 weeks) (764)								1				
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	3	1					2	3			1	
Senility, ill defined and unknown causes (780-795)	3						2	4			1	
All other diseases (residual)	10	3	6		5		10		3		5	
Motor vehicle accidents (810-835)	3		2		4		10	1			9	
All other accidents (800-802; 840-962)	8	1	1		2		5	3	2		4	
Suicide and self-inflicted injury (970-979)	3						1		1		4	
Homicide (980-985)		1						1	1			

TABLE 14 (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1963

	STODDARD		STONE		SULLIVAN		TANEY		TEXAS		VERNON	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1961	27,705		7,661		7,919		10,081		16,942		19,454	
TOTAL LIVE BIRTHS	470	54	172		119		185		349		293	
Attended by M.D.	287	15	169		42		184		262		283	
Attended by D.O.	182	24	3		77		1		87		10	
Attended by midwives		14										
Others or unspecified	1	1										
TOTAL FETAL DEATHS	11				2		4		5		2	
Attended by M.D.	9						4		2		2	
Attended by D.O.	2				2				3			
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	286	13	93		144		129		239	1	285	
Under one year of age	15	4	5		6		2		8		9	
Neonatal deaths	7	2	2		3		1		6		7	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	2				1		1		1			
Tuberculosis, other forms (010-019)	1											
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)	1											
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)												
Malignant neoplasms (140-205)	36	2	12		24		15		32	1	42	
Benign and unspecified neoplasms (210-239)	1										1	
Diabetes mellitus (260)	5		1		3		4		7		1	
Anemias (290-293)	1		1		1							
Vascular lesions affecting central nervous system (330-334)	36		8		35		21		32		41	
Nonmeningococcal meningitis (340)					1							
Rheumatic fever (400-402)							1					
Chronic rheumatic heart disease (410-416)	1						1				4	
Arteriosclerotic and degenerative heart disease (420-422)	98	2	33		44		42		92		110	
Other diseases of heart (430-434)	7				1				2		5	
Hypertension with heart disease (440-443)	7		1		4		1		12		11	
Hypertension w/o mention of heart (444-447)			1				1		3		3	
Other diseases of circulatory system (450-468)	12		6				8		4		11	
Influenza (480-483)			1				3					
Lobar pneumonia 4 weeks (490)	4		1				2		4			
Bronchopneumonia 4 weeks (491)	5		3		5				3		2	
Pneumonia, other forms 4 weeks (492-493)	4		2		1		1		3		1	
Bronchitis (500-502)												
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1		1						1			
Gastro Enteritis and colitis, 2 years (571.1)					1							
Cirrhosis of liver (581)	2		1				2		2			
Other diseases of digestive system (530-587 excl. above)	7		1		2		6		5		6	
Nephritis and nephrosis (590-594)	2		5				2		3		2	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	1		1		2				2		2	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3				1						2	
Pneumonia of newborn (under 4 weeks) (763)											1	
Diarrhea of newborn (under 4 weeks) (764)		1							1			
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	3	1	2		1		1		4		2	
Senility, ill defined and unknown causes (780-795)	6	4	3				2		3		7	
All other diseases (residual)	10	1	4		8		7		5		5	
Motor vehicle accidents (810-835)	14		5		2		1		9		10	
All other accidents (800-802; 840-962)	15	2			4		4		8		13	
Suicide and self-inflicted injury (970-979)					3		3				3	
Homicide (980-985)	1								1			

TABLE 14. (CONTINUED). ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1963

	WARREN		WASHINGTON		WAYNE		WEBSTER		WORTH		WRIGHT	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963	8,985		13,829		7,923		13,075		3,540		13,300	
TOTAL LIVE BIRTHS	151	9	317	1	150		265		50		208	2
Attended by M.D.	113	5	220		118		194		42		142	1
Attended by D.O.	37	4	60		31		70		8		65	1
Attended by midwives			31									
Others or unspecified	1		6	1	1		1				1	
TOTAL FETAL DEATHS	4	1	4		2		1				2	
Attended by M.D.	4	1	3		2		1				1	
Attended by D.O.			1				1				1	
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	96	4	187	2	139		195		50		202	1
Under one year of age	1		6		3		7		3		4	
Neonatal deaths			3		2		3		1		2	
Maternal deaths							1					
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)					1		1					
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)			1									
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-102; 105-106)												
Malaria (110-117)												
Other infectious and parasitic diseases (050-138, exc. above)			1									
Malignant neoplasms (140-205)	13		30		16		33		4		10	
Benign and unspecified neoplasms (210-239)					1						2	
Diabetes mellitus (250)	2		4		2						2	
Anemias (290-293)			1		1		1					
Vascular lesions affecting central nervous system (330-334)	10		27	1	25		22		9		37	
Nonmeningococcal meningitis (343)											1	
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	2		2		1		2					
Arteriosclerotic and degenerative heart disease (420-422)	40	1	47		28		62		17		55	1
Other diseases of heart (430-433)	3	1	4		6						1	
Hypertension with heart disease (440-443)	8		8		3		6		2		8	
Hypertension w/o mention of heart (444-447)					1						3	
Other diseases of circulatory system (450-468)	4		8		5		6		2		8	
Influenza (480-483)			3				6				5	
Lobar pneumonia 4 weeks (493)			1		1		3		1		1	
Bronchopneumonia 4 weeks (491)			4		2		8		1		8	
Pneumonia, other forms 4 weeks (492-493)		1	3		3		1				1	
Bronchitis (500-502)							2					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			1				1					
Gastro Enteritis and colitis, 2 years (571.1)	1		1						1			
Cirrhosis of liver (581)			1				1				1	
Other diseases of digestive system (530-587 excl. above)			3		3		11		1		10	
Nephritis and nephrosis (590-594)	1		2		2		4		2		1	
Complications of pregnancy and puerperium (640-652; 660-689)							1					
Congenital malformations (750-759)			1				2		2			
Birth injuries, asphyxia, (under 4 weeks) (760-762)			1		1		1				1	
Pneumonia of newborn (under 4 weeks) (763)												
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-766)			1									
Other diseases of early infancy (under 4 weeks) (769-776)					1		1		1		1	
Senility, ill defined and unknown causes (780-795)	4		6		17		1		1		4	
All other diseases (residual)	4		3	1	8		8		2		9	
Motor vehicle accidents (810-835)	1	1	5		5		3		3		3	
All other accidents (800-802; 340-962)	3		12		4		6				9	
Suicide and self-inflicted injury (970-979)			1		2		2		1		3	
Homicide (980-985)			1								1	

TABLE 15. RESIDENT LIVE BIRTHS, FETAL DEATHS AND SELECTED CAUSES OF DEATH
BY COLOR AND ATTENDANT AT BIRTH, CITIES OF 10,000 POPULATION AND
OVER, MISSOURI: 1963

	CARTHAGE		CLAYTON		COLUMBIA		CRESTWOOD		FERGUSON		FLORISSANT	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963												
TOTAL LIVE BIRTHS	219	1	173	2	839	112	191		471	1	1,540	2
Attended by M.D.	212	1	173	2	833	108	191		437	1	1,465	1
Attended by midwives	7				6	2			34		75	1
Others or unspecified						1						
TOTAL FETAL DEATHS	6				8		4		4		19	
Attended by M.D.	6				8		4		4		19	
Attended by D.O.												
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	169	8	165	6	244	56	46		139		188	
Under one year of age	6		2		19	5	2		5		14	
Neonatal deaths	2		1		17	5	1		4		11	
Maternal deaths											1	
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	2		1								1	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)							1					
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)									1			
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1											
Malignant neoplasms (140-205)	23		33	1	41	9	8		28		43	
Benign and unspecified neoplasms (210-239)						1					1	
Diabetes mellitus (260)	1		4		4				2			
Anemias (290-293)				1							1	
Vascular lesions affecting central nervous system (330-334)	28	3	17		33	8	4		17		12	
Nonmeningococcal meningitis (340)	1						1					
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1						1		4		2	
Arteriosclerotic and degenerative heart disease (420-422)	61	2	63	1	75	13	19		49		67	
Other diseases of heart (430-434)	2		1			2	1		1			
Hypertension with heart disease (440-443)	2		2	1	5	4	1		3		3	
Hypertension w/o mention of heart: (444-447)	3		2		2		1		2			
Other diseases of circulatory system (450-468)	8		7	1	13		1		3		2	
Influenza (480-483)	3	1			1	1						
Lobar pneumonia 4 weeks (490)			1		1				1			
Bronchopneumonia 4 weeks (491)	5				4	1			1		2	
Pneumonia, other forms 4 weeks (492-493)	3		1		2				1		1	
Bronchitis (500-502)	1											
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)									1			
Gastro Enteritis and colitis, 2 years (571.1)					1						1	
Cirrhosis of liver (581)	2		1		2				2		3	
Other diseases of digestive system (530-587 excl. above)	2		5		6	4			3		8	
Nephritis and nephrosis (590-594)	1		1	1		2						
Complications of pregnancy and puerperium (640-652; 660-689)											1	
Congenital malformations (750-759)	2				2	1	1				1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1				5	2					4	
Pneumonia of newborn (under 4 weeks) (763)					1	1			1		1	
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	1		1		8	1	1		2		5	
Senility, ill defined and unknown causes (780-795)	2	1	2				2		2		3	
All other diseases (residual)	6	1	11		20	3	1		7		7	
Motor vehicle accidents (810-835)	1		4		4				3		7	
All other accidents (800-802; 840-862)	4		7		5	1	2		5		9	
Suicide and self-inflicted injury (970-979)	2		1		8		1				3	
Homicide (980-985)						2						

TABLE 15 (CONTINUED). RESIDENT LIVE BIRTHS, FETAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, CITIES OF 10,000 POPULATION AND OVER, MISSOURI: 1963

	ST. LOUIS CITY			BELLEFONTAINE NEIGHBORS		BERKELEY		BRENTWOOD		CAPE GIRARDEAU	
	Total	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963		700,902									
TOTAL LIVE BIRTHS	16,670	9,718	6,952	112		491	3	328	11	522	34
Attended by M.D.	16,413	9,484	6,929	111		441	3	328	11	492	29
Attended by D.O.	225			1		50				30	3
Attended by midwives	5		5								2
Others or unspecified	27	9	18								
TOTAL FETAL DEATHS	356	161	195	4		9		5		7	
Attended by M.D.	323	151	172	4		8		5		7	
Attended by D.O.	6	5	1			1					
Attended by midwives											
Others or unspecified	27	5	22								
TOTAL DEATHS	10,425	7,603	2,822	74		89	3	96	9	266	16
Under one year of age	488	229	259	2		10		6		11	1
Neonatal deaths	368	182	186	1		8		5		8	1
Maternal deaths	12	4	8								
CAUSES OF DEATH											
Tuberculosis of respiratory system (001-008)	67	40	27							1	
Tuberculosis, other forms (010-019)	5	2	3								
Syphilis, under 1 year (020-029)											
Syphilis, age 1 year and over (020-029)	25	13	12							1	1
Typhoid fever (040)											
Paratyphoid fever (041)											
Undulant fever (044)											
Bacillary dysentery (045)											
Amebic dysentery (046)											
Other and unspecified dysentery (047-048)											
Scarlet fever and streptococcal sore throat (050-051)											
Diphtheria (055)											
Whooping cough (056)											
Meningococcal infections (057)	1	1									
Tularemia (059)											
Tetanus (061)	1		1								
Acute poliomyelitis (080)											
Acute infectious encephalitis (082)	2	1	1								
Measles (085)	1	1									
Infectious hepatitis (092)	2	2									
Rabies (094)											
Rocky mountain spotted fever (104)											
Typhus and other rickettsial diseases (100-103; 105-108)											
Malaria (110-117)											
Other infectious and parasitic diseases (030-138, exc. above)	24	17	7								
Malignant neoplasms (140-205)	1,649	1,269	380	17		16		13	2	32	1
Benign and unspecified neoplasms (210-239)	18	12	6					1		2	
Diabetes mellitus (260)	210	159	51	1		1				4	
Anemias (290-293)	18	10	8								
Vascular lesions affecting central nervous system (330-334)	1,085	777	308	6		8		8	1	29	3
Nonmeningococcal meningitis (340)	11	7	4							1	
Rheumatic fever (400-402)											
Chronic rheumatic heart disease (410-416)	98	78	20	2		1				2	
Arteriosclerotic and degenerative heart disease (420-422)	3,516	2,889	627	29		28	1	30	3	108	4
Other diseases of heart (430-434)	139	72	67			2			1	1	
Hypertension with heart disease (440-443)	357	213	144	3		2		3	1	8	
Hypertension w/o mention of heart (444-447)	105	48	57							4	
Other diseases of circulatory system (450-468)	435	332	103	1		3		9		10	
Influenza (480-483)	31	18	13							2	
Lobar pneumonia 4 weeks (490)	80	43	37	1						2	
Bronchopneumonia 4 weeks (491)	235	158	77	1		4		4		7	
Pneumonia, other forms 4 weeks (492-493)	142	75	67	1		1		1		1	
Bronchitis (500-502)	26	22	4			1	1			1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	9	3	6							1	
Gastro Enteritis and colitis, 2 years (571.1)	9	7	2								
Cirrhosis of liver (581)	150	124	26	2		1		1		4	1
Other diseases of digestive system (530-587 excl. above)	255	184	71	2		1		1		4	
Nephritis and nephrosis (590-594)	93	49	44	1							
Complications of pregnancy and puerperium (640-652; 660-689)	12	4	8								
Congenital malformations (750-759)	65	44	21	2		1		2		3	1
Birth injuries, asphyxia, (under 4 weeks) (760-762)	140	72	68			2		2		4	
Pneumonia of newborn (under 4 weeks) (763)	16	6	10								
Diarrhea of newborn (under 4 weeks) (764)											
Other infections of newborn (under 4 weeks) (765-768)	5	3	2								
Other diseases of early infancy (under 4 weeks) (769-776)	185	78	107			5		1		3	
Senility, ill defined and unknown causes (780-795)	40	33	7			2		5	1		1
All other diseases (residual)	520	345	175	1			1	3		16	3
Motor vehicle accidents (810-835)	130	76	54	1		2		5		7	
All other accidents (800-802; 840-962)	317	224	93	2		3		4		8	1
Suicide and self-inflicted injury (970-979)	82	68	14	1		5		2			
Homicide (980-985)	114	24	90					1			

TABLE 15 (CONTINUED). RESIDENT LIVE BIRTHS, FETAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, CITIES OF 10,000 POPULATION AND OVER, MISSOURI: 1963

	FULTON		GLADSTONE		HANNIBAL		INDEPENDENCE		JEFFERSON CITY		JENNINGS	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963												
TOTAL LIVE BIRTHS	109	22	197		351	28	2,040	17	466	23	304	
Attended by M.D.	105	19	190		351	27	1,703	16	384	10	283	
Attended by D.O.	4	3	7			1	337	1	82	13	20	
Attended by midwives												
Others or unspecified												
TOTAL FETAL DEATHS	2	1	2		2	1	21		9	1	4	
Attended by M.D.	2	1	2		2	1	21		8	1	3	
Attended by D.O.									1			
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	101	13	24		263	23	683	15	242	17	178	1
Under one year of age	1		2		5		44		10	1	5	
Neonatal deaths	1		2		5		35		8	1	4	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1				1		2					
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)							1					
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1						1		1			
Malignant neoplasms (140-205)	18	4	4		36	7	101	1	30	2	40	
Benign and unspecified neoplasms (210-239)									1		1	
Diabetes mellitus (260)	1	1			4	1	9		2		3	
Anemias (290-293)							3					
Vascular lesions affecting central nervous system (330-334)	20	3			28	1	73	4	34	2	19	
Nonmeningococcal meningitis (340)					1							
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1				1		7		1	1	2	
Arteriosclerotic and degenerative heart disease (420-422)	28	4	9		104	9	221	5	84	1	67	1
Other diseases of heart (430-434)			1		6		15		5		3	
Hypertension with heart disease (440-443)	5				8		26		10	1	6	
Hypertension w/o mention of heart (444-447)			2		1		5		2			
Other diseases of circulatory system (450-468)	4				13	1	22	1	9	1	9	
Influenza (480-483)					2		3					
Lobar pneumonia 4 weeks (490)					1		5					
Bronchopneumonia 4 weeks (491)	2				4		9		4	1	2	
Pneumonia, other forms 4 weeks (492-493)					5		5	1	3	1	1	
Bronchitis (500-502)							1		1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)					2		3		2		1	
Other diseases of digestive system (530-587 excl. above)	4		1		5		18		5	1	4	
Nephritis and nephrosis (590-594)	1	1	2		1	1	5	1	1		1	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)			2		2		9		6			
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1		1		2		9		5	1	1	
Pneumonia of newborn (under 4 weeks) (763)							3				1	
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)					3		16		1		1	
Senility, ill defined and unknown causes (780-795)	1				1		3	1	4	1	3	
All other diseases (residual)	7		1		17	2	39	1	9		7	
Motor vehicle accidents (810-835)	1				2		27		9		2	
All other accidents (800-802; 840-962)	4		1		9	1	29		9	3	2	
Suicide and self-inflicted injury (970-979)					4		10		4	1	2	
Homicide (980-985)	1						3					

TABLE 15 (CONTINUED). RESIDENT LIVE BIRTHS, FETAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, CITIES OF 10,000 POPULATION AND OVER, MISSOURI: 1963

	JOPLIN		KANSAS CITY			KANSAS CITY JACKSON COUNTY		KANSAS CITY CLAY COUNTY		KANSAS CITY PLATTE COUNTY	
	White	Nonwhite	Total	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963											
TOTAL LIVE BIRTHS	697	17	11,613	8,630	2,983	7,438	2,983	1,046		146	
Attended by M.D.	579	15	10,434	7,510	2,924	6,458	2,924	923		129	
Attended by D.O.	118	2	1,176	1,119	57	980	57	123		16	
Attended by midwives			1	1	1		1				
Others or unspecified			2	1	1		1			1	
TOTAL FETAL DEATHS	7		84	39	45	34	45	4		1	
Attended by M.D.	7		77	36	41	31	41	4		1	
Attended by D.O.			2	2		2					
Attended by midwives											
Others or unspecified											
TOTAL DEATHS	513	8	6,091	4,977	1,114	4,744	1,112	205	1	28	1
Under one year of age	15		290	174	116	159	116	12		3	
Neonatal deaths	6		216	131	85	120	85	8		3	
Maternal deaths			6	5	1						
CAUSES OF DEATH											
Tuberculosis of respiratory system (001-008)	5		55	40	15	39	15	1			
Tuberculosis, other forms (010-019)	1		3		3		3				
Syphilis, under 1 year (020-029)											
Syphilis, age 1 year and over (020-029)	2		16	12	4	12	4				
Typhoid fever (040)											
Paratyphoid fever (041)											
Undulant fever (044)											
Bacillary dysentery (045)											
Amebic dysentery (046)											
Other and unspecified dysentery (047-048)			1	1		1					
Scarlet fever and streptococcal sore throat (050-051)			1		1		1				
Diphtheria (055)											
Whooping cough (056)			1		1		1				
Meningococcal infections (057)											
Tularemia (059)											
Tetanus (061)											
Acute poliomyelitis (080)											
Acute infectious encephalitis (082)			1	1		1					
Measles (085)	1		1	1		1					
Infectious hepatitis (092)			2	2		2					
Rabies (094)											
Rocky mountain spotted fever (104)											
Typhus and other rickettsial diseases (100-103; 105-108)			1	1		1					
Malaria (110-117)											
Other infectious and parasitic diseases (030-138, exc. above)	1		11	8	3	8	3				
Malignant neoplasms (140-205)	67	1	930	777	153	741	152	29		7	1
Benign and unspecified neoplasms (210-239)			16	15	1	14	1	1			
Diabetes mellitus (260)	4		87	69	18	68	18	1			
Anemias (290-293)	2		13	9	4	9	4				
Vascular lesions affecting central nervous system (330-334)	57	1	644	534	110	506	110	25		3	
Nonmeningococcal meningitis (340)			9	6	3	6	3				
Rheumatic fever (400-402)			1	1		1					
Chronic rheumatic heart disease (410-416)	5		58	47	11	46	11	1			
Arteriosclerotic and degenerative heart disease (420-422)	161	1	1,963	1,751	212	1,677	212	67		7	
Other diseases of heart (430-434)	10		107	81	26	78	26	3			
Hypertension with heart disease (440-443)	18	1	166	111	55	111	55				
Hypertension w/o mention of heart (444-447)	4		31	27	4	27	4				
Other diseases of circulatory system (450-468)	23		285	183	102	173	101	10	1		
Influenza (480-483)	3		15	12	3	9	3	3			
Lobar pneumonia 4 weeks (490)	6		35	27	8	26	8	1			
Bronchopneumonia 4 weeks (491)	11	1	190	152	38	150	38	2			
Pneumonia, other forms 4 weeks (492-493)	6		68	58	10	55	10	3			
Bronchitis (500-502)	1		15	14	1	12	1	2			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			3	1	2	1	2				
Gastro Enteritis and colitis, 2 years (571.1)	4		4	2	2	2	2				
Cirrhosis of liver (581)	9		92	81	11	78	11	3			
Other diseases of digestive system (530-587 excl. above)	16		179	154	25	149	25	4		1	
Nephritis and nephrosis (590-594)	2	1	44	29	15	28	15	1			
Complications of pregnancy and puerperium (640-652; 660-689)			6	5	1	5	1				
Congenital malformations (750-759)	3		56	47	9	41	9	5		1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2		71	46	25	42	25	3		1	
Pneumonia of newborn (under 4 weeks) (763)			14	11	3	11	3				
Diarrhea of newborn (under 4 weeks) (764)											
Other infections of newborn (under 4 weeks) (765-768)											
Other diseases of early infancy (under 4 weeks) (769-776)	3		110	54	56	50	56	4			
Senility, ill defined and unknown causes (780-795)	25		60	52	8	51	8	1			
All other diseases (residual)	30	1	309	232	77	215	77	12		5	
Motor vehicle accidents (810-835)	14		94	78	16	65	16	10		3	
All other accidents (800-802; 840-962)	13	1	186	152	34	143	34	9			
Suicide and self-inflicted injury (970-979)	3		71	64	7	61	7	3			
Homicide (980-985)	1		66	29	37	28	37	1			

TABLE 15 (CONTINUED). RESIDENT LIVE BIRTHS, FETAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, CITIES OF 10,000 POPULATION AND OVER, MISSOURI: 1963

	KIRKSVILLE		KIRKWOOD		MAPLEWOOD		MEXICO		MOBERLY		OVERLAND	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963-												
TOTAL LIVE BIRTHS	325	1	478	51	256	1	256	32	201	18	718	10
Attended by M.D.	87		472	51	250	1	225	28	160	15	661	10
Attended by D.O.	238	1	6		6		31	4	41	1	57	
Attended by midwives												
Others or unspecified										2		
TOTAL FETAL DEATHS	2		3	2	3		1	2	1	1	6	
Attended by M.D.	2		3	2	3		1	1	1	1	5	
Attended by D.O.								1			1	
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	172		248	29	151	1	132	22	198	15	218	1
Under one year of age	11		7	2	4		5	3	4	1	10	
Neonatal deaths	11		6	2	2		4	2	3	1	9	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)			3									
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)											1	
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)									1			
Meningococcal infections (057)											1	
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)			1									
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)												
Malignant neoplasms (140-205)	22		34	3	28	1	18	2	23	4	44	
Benign and unspecified neoplasms (210-239)	2						1	1				
Diabetes mellitus (260)	4		3	2	2		1	1	2		5	
Anemias (290-293)	1		1									
Vascular lesions affecting central nervous system (330-334)	28		37	4	21		19	5	28	1	19	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)			1	1	1		4				2	
Arteriosclerotic and degenerative heart disease (420-422)	53		91	6	53		50	2	78	2	79	
Other diseases of heart (430-434)	6		2	1	3		1		2			
Hypertension with heart disease (440-443)	4		6	1	4		6		10	1	4	
Hypertension w/o mention of heart (444-447)	4		1				1				3	
Other diseases of circulatory system (450-468)	7		2		5		5		15	1	12	
Influenza (480-483)	2		1	1							1	
Lobar pneumonia 4 weeks (490)			1		2				2		1	
Bronchopneumonia 4 weeks (491)			9		5		1		4		3	
Pneumonia, other forms 4 weeks (492-493)	2		3		1				1		1	
Bronchitis (500-502)					1		2					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)	3		2	2			1				2	
Other diseases of digestive system (530-587 excl. above)	5		6	1	7		5	2	2		4	
Nephritis and nephrosis (590-594)	3		2	1	2			1	3			
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	1		6	1	1					1	1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	6		3	1			2	1			5	
Pneumonia of newborn (under 4 weeks) (763)	1				1							
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	2		3	1	1		3	1	3		3	
Senility, ill defined and unknown causes (780-795)			3		5				5		7	
All other diseases (residual)	10		6	2	3		9	3	6	2	9	1
Motor vehicle accidents (810-835)	2		9		2			2	2		5	
All other accidents (800-802; 840-962)	5		3		1		3	1	8	3	4	
Suicide and self-inflicted injury (970-979)			3	1	2		2		3		2	
Homicide (980-985)			1					1				

TABLE 15 (CONTINUED). RESIDENT LIVE BIRTHS, FETAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, CITIES OF 10,000 POPULATION AND OVER, MISSOURI: 1963

	POPLAR BLUFF		RAYTOWN		RICHMOND HEIGHTS		ROLLA		ST. ANN		ST. CHARLES	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1953												
TOTAL LIVE BIRTHS	331	32	466		267	29	250	1	472		819	13
Attended by M.D.	312	21	426		266	29	228	1	424		784	13
Attended by D.O.	14	2	40		1		21		47		35	
Attended by midwives	5	8							1			
Others or unspecified		1					1					
TOTAL FETAL DEATHS	3	2	3		3		4		6		13	1
Attended by M.D.	3	2	3		3		4		6		13	1
Attended by D.O.												
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	241	18	129		154	10	81		82		220	6
Under one year of age	7	4	11		7		7		8		19	
Neonatal deaths	6	2	8		5		5		6		18	
Maternal deaths	1											
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1		1								1	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)			1		1							
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amoebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)											1	
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)											1	
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)					1							
Malignant neoplasms (140-205)	35	1	21		35	2	5		19		25	
Benign and unspecified neoplasms (210-239)					1							
Diabetes mellitus (260)	2	1			1	1	1		1		5	
Anemias (290-293)	1				1							1
Vascular lesions affecting central nervous system (330-334)	27	2	20		16	2	8		4		23	1
Nonmeningococcal meningitis (340)	1											
Rheumatic fever (400-402)	1								1			
Chronic rheumatic heart disease (410-416)	1		4		1		2				4	1
Arteriosclerotic and degenerative heart disease (420-422)	92	6	41		56	4	28		23		80	
Other diseases of heart (430-434)	9				2		2		1			
Hypertension with heart disease (440-443)	6				4						3	
Hypertension w/o mention of heart (444-447)	1		1								3	
Other diseases of circulatory system (450-468)	8	1	4		3	1	4		2		10	1
Influenza (480-483)	1		1				1				1	
Lobar pneumonia 4 weeks (490)	4											
Bronchopneumonia 4 weeks (491)			3		6				1		5	
Pneumonia, other forms 4 weeks (492-493)	4	1			3		3		1		7	1
Bronchitis (500-502)	1										1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)							1					
Cirrhosis of liver (581)	2		1		3		3		2		2	
Other diseases of digestive system (530-587 excl. above)	6		1		3		3		2		4	
Nephritis and nephrosis (590-594)			1		1		2		1		1	
Complications of pregnancy and puerperium (640-652; 660-689)	1											
Congenital malformations (750-759)	5		6		1		2		4		1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2		3		1		2		1		6	
Pneumonia of newborn (under 4 weeks) (763)		1										
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)					1							
Other diseases of early infancy (under 4 weeks) (769-776)	1	1	2		2		3		3		11	
Senility, ill defined and unknown causes (780-795)	5	1			2		1		4		7	
All other diseases (residual)	7		4		6		5				5	
Motor vehicle accidents (810-835)	6	1	5		1		2		6		3	
All other accidents (800-802; 840-962)	9	2	4				1		3		7	1
Suicide and self-inflicted injury (970-979)	1		5		2		2		3		3	
Homicide (980-985)	1											

TABLE 15 (CONTINUED). RESIDENT LIVE BIRTHS, FETAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH, CITIES OF 10,000 POPULATION AND OVER, MISSOURI: 1963

	ST. JOSEPH		SEDALIA		SIKESTON		SPRINGFIELD		UNIVERSITY CITY		WEBSTER GROVES	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1963												
TOTAL LIVE BIRTHS	1,651	66	413	36	273	64	1,840	55	639		358	35
Attended by M.D.	1,580	65	316	36	233	27	1,803	55	631		355	35
Attended by D.O.	70	1	97		37	1	36		8		3	
Attended by midwives					3	36						
Others or unspecified	1						1					
TOTAL FETAL DEATHS	17	2	4	1	4	3	14		13		8	
Attended by M.D.	16	2	3	1	4	2	14		13		8	
Attended by D.O.	1		1									
Attended by midwives												
Others or unspecified						1						
TOTAL DEATHS	1,096	57	302	31	97	36	990	38	551	1	254	13
Under one year of age	41	3	17	3	1	8	51	4	11		14	
Neonatal deaths	29	1	13	1		5	35	1	7		13	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	5						4		1		1	
Tuberculosis, other forms (010-019)							2					
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	3	1					2				1	
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1						3		1		1	
Malignant neoplasms (140-205)	163	7	43	3	19	4	144	9	108	1	38	5
Benign and unspecified neoplasms (210-239)	4		1				3				2	
Diabetes mellitus (260)	12	3	8	1		1	8		15		6	
Anemias (290-293)	3				1		3					
Vascular lesions affecting central nervous system (330-334)	146	4	45	2	11	3	145	11	59		26	1
Nonmeningococcal meningitis (340)							1		1			
Rheumatic fever (400-402)							1					
Chronic rheumatic heart disease (410-416)	6		1				6		4		5	
Arteriosclerotic and degenerative heart disease (420-422)	380	16	103	10	37	11	324	5	221		97	4
Other diseases of heart (430-434)	12		6		1		14	1	5		2	
Hypertension with heart disease (440-443)	43	3	7	5	3		30	1	9		4	
Hypertension w/o mention of heart (444-447)	8		2				3	2	1		2	
Other diseases of circulatory system (450-468)	35	1	14		3		40	2	18		16	
Influenza (480-483)	5		2	1	1				2			
Lobar pneumonia 4 weeks (490)	3		2		1		3		1			
Bronchopneumonia 4 weeks (491)	26	6	5		4	2	16	4	8		4	
Pneumonia, other forms 4 weeks (492-493)	8	1	3		1	2	12		5			
Bronchitis (500-502)	5		1				1		3			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1					1	1					
Gastro Enteritis and colitis, 2 years (571.1)	1						1					
Cirrhosis of liver (581)	10		1		1		3		5			
Other diseases of digestive system (530-587 excl. above)	23	1	7	2	3		24	3	14		4	
Nephritis and nephrosis (590-594)	11		2				6		2		2	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	6		2		1		12		5		4	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	16	2	8				14		2		6	
Pneumonia of newborn (under 4 weeks) (763)	1					1	3	1				
Diarrhea of newborn (under 4 weeks) (764)						1						
Other infections of newborn (under 4 weeks) (765-768)	1										1	
Other diseases of early infancy (under 4 weeks) (769-776)	8		4	3		2	14		1		3	
Senility, ill defined and unknown causes (780-795)	51	6	1		1	4	46	2	13		5	
All other diseases (residual)	42		9	2	1		27		23		8	1
Motor vehicle accidents (810-835)	18	3	14		7		28		2		7	
All other accidents (800-802; 840-962)	31	2	9	2		2	33	2	15		6	1
Suicide and self-inflicted injury (970-979)	7		2		1		7		3		3	
Homicide (980-985)	1	1				1	6		3			1

MARRIAGES

TABLE 16. REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE, MISSOURI: 1963

Age of Groom	Age of Bride																																		35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75+	Not Stat-ed
	Total	15 & Und.	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34																							
Total	37,667	503	1,498	2,308	4,217	4,695	4,233	3,506	2,589	1,623	1,163	871	689	580	507	445	421	375	318	323	316	1,373	1,160	980	744	548	383	292	151	84	772													
15 & Under	10	4	2	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-													
16 Years	91	14	36	17	12	6	1	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1													
17 Years	499	60	132	148	82	48	15	7	1	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1													
18 Years	1,396	91	272	334	435	161	65	19	6	4	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2													
19 Years	2,424	95	313	452	652	566	206	85	30	9	4	2	1	1	-	1	1	1	1	1	-	2	1	-	-	-	-	-	-	-	1													
20 Years	3,471	89	251	402	813	863	640	250	77	27	18	14	9	2	3	1	1	1	-	-	-	-	-	-	1	1	-	-	-	-	8													
21 Years	4,274	64	199	355	831	977	813	631	226	73	30	22	19	6	2	1	3	3	2	2	2	3	1	-	-	-	-	-	-	-	9													
22 Years	4,068	33	118	246	557	771	813	667	511	151	74	41	30	14	8	8	5	6	-	1	1	4	2	-	-	-	-	-	-	-	7													
23 Years	2,883	15	62	131	303	438	489	504	424	253	109	40	30	26	10	6	13	2	2	3	1	11	2	-	1	1	-	-	-	-	7													
24 Years	2,090	15	34	75	151	278	344	367	303	190	137	67	35	29	25	9	5	4	4	3	3	7	3	-	-	-	-	-	-	-	2													
25 Years	1,694	4	10	41	99	165	231	268	277	191	144	98	58	29	18	7	6	7	4	3	9	4	-	-	-	-	-	-	-	-	3													
26 Years	1,328	6	15	24	74	123	159	183	161	167	119	87	59	35	26	23	20	8	4	6	10	7	3	2	-	-	-	-	-	-	7													
27 Years	1,153	3	10	24	56	91	122	139	126	112	106	88	66	70	25	37	17	13	8	7	8	14	6	1	1	-	-	-	1	-	2													
28 Years	875	-	12	11	45	46	76	86	119	93	68	58	43	43	43	24	22	19	20	8	10	20	2	1	-	2	-	-	-	-	4													
29 Years	823	2	9	13	26	26	70	73	75	73	66	63	63	44	52	42	35	22	16	7	10	31	3	2	-	-	-	-	-	-	-													
30 Years	621	1	1	3	19	28	37	47	66	51	41	45	43	38	35	34	29	20	13	19	9	32	7	3	-	-	-	-	-	-	-													
31 Years	550	2	5	5	10	17	36	33	36	44	44	41	33	35	27	25	29	26	16	16	11	39	12	7	1	-	-	-	-	-	-													
32 Years	472	1	1	2	8	12	19	19	23	32	39	44	30	25	29	22	30	21	27	20	25	25	12	5	-	-	-	-	-	-	1													
33 Years	461	-	3	3	2	16	21	25	18	35	23	19	34	21	33	18	29	28	19	21	16	54	19	3	1	-	-	-	-	-	-													
34 Years	420	1	1	3	4	7	12	21	22	19	23	20	27	19	25	24	13	20	21	21	18	58	27	9	2	1	-	-	-	-	2													
35-39 Years	1,769	1	6	6	25	34	31	44	55	52	75	71	63	88	85	86	85	87	74	84	84	362	193	54	17	3	1	-	-	-	3													
40-44 Years	1,400	-	2	3	8	9	14	18	16	26	23	29	26	30	38	29	50	52	43	55	57	352	287	153	54	21	1	2	-	-	2													
45-49 Years	1,026	-	1	3	1	5	8	8	9	17	7	10	10	15	11	20	13	23	21	27	33	174	250	234	96	22	4	2	1	-	1													
50-54 Years	885	-	-	1	1	1	2	1	6	2	3	4	7	6	6	11	10	10	10	11	6	96	177	238	176	75	17	6	2	-	-													
55-59 Years	659	-	-	1	-	1	1	4	1	1	3	3	1	2	3	2	2	2	6	2	1	45	76	147	174	123	40	15	3	-	-													
60-64 Years	523	-	-	-	-	-	1	-	-	-	1	-	-	-	1	2	-	1	3	4	3	15	36	67	118	137	88	36	8	1	1													
65-69 Years	503	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	9	26	30	67	109	115	100	30	11	2													
70-74 Years	311	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	3	9	14	24	35	70	84	51	17	2													
75 & Over	246	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	7	11	19	46	47	55	55	-													
Not Stated	742	2	3	5	1	4	7	5	1	-	1	1	-	1	2	-	-	-	1	-	-	1	-	2	-	-	1	-	-	-	704													

TABLE 17. REPORTED MARRIAGES BY MARITAL STATUS AND SELECTED AGE GROUPS, GROOMS AND BRIDES, MISSOURI: 1963

Age	Groom						Bride					
	Total	Single	Annulled	Widowed	Divorced	Not Stated	Total	Single	Annulled	Widowed	Divorced	Not Stated
Total	37,667	26,840	16	2,143	7,920	748	37,667	27,013	19	2,403	7,468	764
15 Years & Over	7	7	-	-	-	-	503	502	-	-	1	-
16 Years	91	91	-	-	-	-	1,498	1,485	1	2	8	2
17 Years	499	497	-	-	2	-	2,308	2,267	-	1	38	2
18 Years	1,396	1,391	-	-	5	-	4,217	4,107	5	2	97	6
19 Years	2,424	2,407	1	-	14	2	4,695	4,487	2	6	194	6
20 Years	3,471	3,417	-	-	52	2	4,233	3,931	1	11	287	3
21 Years	4,274	4,130	1	3	138	2	3,506	3,144	4	18	338	2
22 Years	4,068	3,843	-	9	215	1	2,589	2,227	2	14	344	2
23 Years	2,883	2,594	4	6	278	1	1,623	1,247	1	17	356	2
24 Years	2,090	1,788	2	9	291	-	1,163	823	-	17	323	-
25 Years	1,694	1,386	2	12	293	1	871	538	-	17	315	1
26 Years	1,328	1,049	-	8	270	1	689	347	1	23	317	1
27 Years	1,153	805	-	14	334	-	580	271	-	17	289	3
28 Years	875	577	-	8	285	5	507	224	-	21	254	8
29 Years	823	481	2	13	324	3	445	177	1	18	237	12
30 Years	621	317	-	14	287	3	421	153	-	25	238	5
31 Years	550	281	-	12	254	3	375	113	-	19	238	5
32 Years	472	232	1	7	225	7	318	99	-	23	194	2
33 Years	461	184	-	17	254	6	323	69	-	22	230	2
34 Years	420	146	1	13	256	4	316	78	-	38	195	5
35 Years	396	133	-	19	241	3	298	65	-	29	199	5
36 Years	391	121	-	27	239	4	287	56	-	36	193	2
37 Years	334	94	-	20	219	1	256	49	-	32	173	2
38 Years	305	74	-	22	208	1	260	45	-	39	176	-
39 Years	343	91	-	27	220	5	272	38	-	35	199	-
40 Years	287	60	-	21	205	1	263	31	-	40	192	-
41 Years	279	53	-	22	200	4	227	33	-	41	152	1
42 Years	317	57	-	34	224	2	216	23	-	48	145	-
43 Years	270	50	-	26	194	-	243	35	-	45	163	-
44 Years	274	33	1	35	178	-	211	25	-	70	115	1
45-49 Years	1,026	141	-	180	701	4	980	109	-	345	522	4
50-54 Years	885	109	1	240	534	1	744	59	-	348	336	1
55-59 Years	659	76	-	272	310	1	548	47	-	305	193	3
60-64 Years	523	41	-	275	205	2	383	22	-	257	101	3
65-69 Years	503	22	-	327	151	3	292	19	-	208	64	1
70-74 Years	311	13	-	230	68	-	151	5	-	129	17	-
75 Years & Over	246	7	-	208	29	2	84	4	-	70	10	-
Not Stated	742	39	-	13	17	673	772	59	1	15	25	672

TABLE 18. REPORTED MARRIAGES BY MARITAL STATUS, MISSOURI: 1963

	Bride					
	Total	Single	Widowed	Divorced	Annulled	Not Stated
Groom Single	26,840	24,150	366	2,292	12	20
Widowed	2,143	318	1,148	675	-	2
Divorced	7,921	2,529	888	4,496	4	4
Annulled	16	11	1	1	3	-
Not Stated	747	5	-	4	-	738
Total	37,667	27,013	2,403	7,468	19	764

TABLE 19. REPORTED MARRIAGES BY COLOR OF GROOM, MISSOURI: 1963

Color	Number
White	33,135
Nonwhite	3,859
Other**	1
Not Stated	672
Total	37,667

** Includes Indians, Mexicans, Japanese and Chinese.

DIVORCES

TABLE 20. REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF PREVIOUS MARRIAGES, HUSBAND vs WIFE, MISSOURI: 1963

	Wife							
Husband	Total	None	One	Two	Three	Four	Five or More	Not Stated
DIVORCES								
Total	12,570	2,662	6,597	2,206	700	153	75	177
None	2,668	2,221	364	57	14	2	2	8
One	6,596	352	5,232	760	176	31	15	30
Two	2,148	63	751	988	256	51	27	12
Three	661	15	156	262	164	41	18	5
Four	197	2	31	84	52	20	6	2
Five or More	99	2	19	31	34	4	6	3
Not Stated	201	7	44	24	4	4	1	117
ANNULMENTS								
Total	82	17	35	18	5	2	-	5
None	15	10	3	1	1	-	-	-
One	37	5	28	3	1	-	-	-
Two	15	1	2	8	3	-	-	1
Three	7	1	2	4	-	-	-	-
Four	2	-	-	1	-	1	-	-
Five or More	-	-	-	-	-	-	-	-
Not Stated	6	-	-	1	-	1	-	4

TABLE 21. REPORTED DIVORCES AND ANNULMENTS BY DURATION OF MARRIAGE, MISSOURI: 1963

Duration of Marriage (In Years)	Total	Number	
		Divorces	Annulments
Total	12,652	12,570	82
Under 1 Year	424	387	37
1 Year	1,319	1,290	29
2 Years	1,236	1,232	4
3 Years	1,160	1,157	3
4 Years	998	995	3
5 Years	771	770	1
6 Years	659	658	1
7 Years	557	557	-
8 Years	531	531	-
9 Years	416	415	1
10 Years	392	392	-
11 Years	416	416	-
12 Years	338	337	1
13 Years	344	343	1
14 Years	243	243	-
15 Years	292	292	-
16 Years	287	287	-
17 Years	312	312	-
18 Years	215	215	-
19 Years	164	164	-
20-24 Years	750	750	-
25-29 Years	378	378	-
30-34 Years	189	189	-
35-39 Years	118	118	-
40 Years & Over	78	78	-
Not Stated	65	64	1

TABLE 22. REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF CHILDREN AFFECTED, MISSOURI: 1963

Children Reported	Number		
	Total	Divorces	Annulments
Total	12,652	12,570	82
No Children	5,685	5,611	74
One Child	2,820	2,816	4
Two Children	2,073	2,073	-
Three Children	1,080	1,080	-
Four Children	458	458	-
Five Children	204	204	-
Six Children	91	91	-
Seven Children	38	38	-
Eight Children	15	15	-
Nine or More Children	9	9	-
Not Stated	179	175	4

TABLE 23. REPORTED DIVORCES AND ANNULMENTS BY COMPLAINANT vs TO WHOM DECREE GRANTED, MISSOURI: 1963

Decree To Whom Granted						
Complainant	Total	Husband	Wife	Separate Maintenance		
				Husband	Wife	Not Stated
DIVORCES						
Total	12,570	2,905	9,550	-	1	114
Husband	3,200	2,800	375	-	-	25
Wife	9,222	74	9,089	-	1	58
Others	-	-	-	-	-	-
Not Stated	148	31	86	-	-	31
ANNULMENTS						
Total	82	17	64	-	-	1
Husband	19	17	2	-	-	-
Wife	61	-	60	-	-	1
Others	-	-	-	-	-	-
Not Stated	2	-	2	-	-	-

TABLE 24. REPORTED DIVORCES AND ANNULMENTS BY COMPLAINANT vs DISPOSITION OF CHILDREN, MISSOURI: 1963

Complainant	Disposition of Children							
	Total	Husband	Wife	Guardian	Joint	Custody to Others	Not Stated	No Children
DIVORCES								
Total	12,570	527	5,907	3	136	43	175	5,779
Husband	3,200	418	790	2	46	25	82	1,837
Wife	9,222	105	5,057	1	87	18	82	3,872
Others	-	-	-	-	-	-	-	-
Not Stated	148	4	60	-	3	-	11	70
ANNULMENTS								
Total	82	1	3	-	-	-	-	78
Husband	19	1	-	-	-	-	-	18
Wife	61	-	3	-	-	-	-	58
Others	-	-	-	-	-	-	-	-
Not Stated	2	-	-	-	-	-	-	2

TABLE 25. REPORTED DIVORCES AND ANNULMENTS BY ALIMONY AND SETTLEMENT, MISSOURI: 1963

Alimony and Settlement	Number		
	Total	Divorces	Annulments
Total	12,652	12,570	82
No Alimony or Support	6,592	6,513	79
Alimony to Wife	583	583	-
Alimony to Husband	6	6	-
Property Settlement	17	17	-
Support to Children	3,054	3,054	-
Alimony and Child Support	2,170	2,169	1
Alimony and Support to Others	-	-	-
Not Stated	230	228	2

TABLE 26. REPORTED DIVORCES AND ANNULMENTS BY LEGAL GROUNDS FOR DECREE, MISSOURI: 1963

Legal Grounds for Decree	Number		
	Total	Divorces	Annulments
Total	12,652	12,570	82
Adultery	104	104	-
Cruelty	211	211	-
Desertion	966	966	-
Drunkenness	102	102	-
Non-Support	119	119	-
Bigamy	10	10	-
Conviction of Crime	87	87	-
Indignities	10,858	10,858	-
Insanity	-	-	-
Annulments	82	-	82
Social Disease	-	-	-
Not Stated	113	113	-

TABLE 27. REPORTED DIVORCES AND ANNULMENTS BY COLOR, HUSBAND vs WIFE, MISSOURI: 1963

Husband	Wife				
	Total	White	Nonwhite	Other	Not Stated
DIVORCES					
Total	12,570	10,941	1,429	-	200
White	10,923	10,860	2	-	61
Nonwhite	1,434	4	1,421	-	9
Other	-	-	-	-	-
Not Stated	213	77	6	-	130
ANNULMENTS					
Total	82	74	5	-	3
White	71	71	-	-	-
Nonwhite	5	-	5	-	-
Other	-	-	-	-	-
Not Stated	6	3	-	-	3

TABLE 28. REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF CASES CONTESTED, MISSOURI: 1963

Contestant	Number		
	Total	Divorces	Annulments
Total	12,652	12,570	82
Husband	595	595	-
Wife	322	322	2
No Contest	11,480	11,401	79
Not Stated	255	254	1

Department of Public Health and Welfare

THE DIVISION OF HEALTH OF MISSOURI
Statistical Services

State Office Building
Jefferson City, Missouri 65102